
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.







SEEDS

for the

NURSERYMAN

AND

FORESTER

Seeds of

Part I Fruit Stocks-Nut Trees

Economic Plants

Part II Conifers

Part III Deciduous Trees and Shrubs

Part IV Hardy Perennials

1940 - 1941

F. W. SCHUMACHER

Horticulturist

JAMAICA PLAIN - BOSTON, MASS.



TERMS

Deliveries are subject to yield of crops and safe arrival of our consignments and prices subject to change.

While we endeavor to carry ample stock, it is nevertheless impossible to have all seeds listed available at all times. Certain items cannot be stored successfully and are available in season only. Please bear this in mind when you place your order.

All seeds and plants are sold without warranty, expressed or implied as to description and productiveness. Seeds should be carefully inspected upon arrival and claims for conditions made at once. We cannot consider claims after seeds have been stored or planted.

All shipments travel at buyer's risk and claims for damages in transit must be taken up with the transportation companies.

Remittances made should include a fair amount for packing and postage, if shipment by mail is requested. Bags are being charged at cost price.

PACKETS—We shall be glad to supply packets of all items listed, as far as possible, and will charge 15c per packet unless listed otherwise.

TERMS—5% Discount for cash with order; for customers of approved credit, 10 days 2%; 30 days net.

SEND IN YOUR ORDER EARLY

Due to the war, European items offered are expected to be taken up quickly. Benefit of lower seasonable prices will be extended whenever it is possible to do so. Your inquiries are appreciated.

NATIVE AMERICAN SEEDS WANTED
We buy and exchange seeds

F. W. SCHUMACHER

579 Centre Street

P. O. Box 131

JAMAICA PLAIN, BOSTON, MASS.

Telephone ENDicott 1850

Cable Address, Treeseeds Boston

1

SEEDS OF FRUIT STOCKS, NUT TREES, ECONOMIC PLANTS

(Quantity prices upon request)	1/ 11	4 11	10.11
APPLE, The wood of the Woodapple (Malus sylvestris) being of ironlike	1/4 115.	1 lb.	10 108.
hardness makes prohibitive its use as stock for domestic apple varieties. The French Cider Crab, a hybrid race between the Woodapple and			
our Table-Apple (Malus communis or pumila) combines the ruggedness			
of the former with the adaptability of the latter producing a wood which offers little resistance to the knife.			
French Cider Crab, the strain preferred for Apple stock, supply uncertain.			
Domestic, seed from cultivated varieties	0.35	1.00	9.00
APRICOT, Common (armeniaca)	.25	.75	6.50
hardy Mandshurian (mandshurica)	.45	1.50	12.00
CHERRY, Mahaleb	.30	1.35	12.50 6.25
Mazzard (sýlvestris) the gum flux resistant silver bark strain	.50	1.60	0.20
PEACH, Chinese, wild (Amygdalus davidiana) becoming recognized as valuable understock for Peach.			
Seed from Japan	.30	1.00	9.00 1.25
PEACH, New Nematode resistant strains			
Shalil (U. S. D. A. introduction from India—S. P. I. 63850) Fruited in isolation			
Not fruited in isolation			
Bokhara, fruited in isolation			
small seeded No. 55885 has proved the most valuable of the Nematode resistant strains under California conditions. Seeds from isolated			
trees100 seeds, \$20.00			
PEAR (communis) French seed	.95	3.25	40.00
Chinese Callery (calleriana)	1.35	4.50 2.00	40.00 18.00
Ussurian (ussuriensis)	.90	3.00	27.50
PLUM, American (americana)	.15	.80 1.00	7.50 8.15
Damas (domestica var.)	.60	2.00	0.10
French (domestica var.) Reine Claude, most delicious table Plum	.25	.75	6.00
German Prune (domestica var.)	.25	.75	6.00
cannery variety	.25	.75	6.00
Myrobolan (cerasifera)	.25	.75 .75	6.50 6.50
QUINCE, Common (oblonga)	.80	2.75	25.00
CHESTNUT, American (dentata)	.50	1.50	
Chinese Blight-resistant (mollissima)	.45	1.50 1.50	
European	.35	1.00	
Japanese	.45	1.25	
Japanese, large fruited Tamba	.35	1.50	
Colurna, Tree Hazel	.60	2.00	
European	.25	.65 1.00	
	35		
Filbert Hybrids, from named varieties	.35 .35	1.00	
Purple-Leaf Filbert			
	.35	1.00	

	1/4 lb.	1 lb.	10 lbs.
HICKORY, Bitternut (cordiformis)		1.25	
Mockernut (alba)		.25	
Pignut (glabra)		.25	
Shagbark (ovata)		.20	
Shellbark (Kingnut) laciniosa		.20	
PECAN, Large fruited, Paper Shell		.35	
Naturals, for stock		.30	
Naturals, hardy Northern, from Indiana		.40	
WALNUT, Black Walnut		.18	
Black Walnut, New England or Prairie States collected		.30	
Ohio			
Ten Eyck			
Thomas			
Stabler			
All are Price per bushel upon request.	.35	1.00	
Butternut		.20	
Butternuts, New England collected		.30	
Californian Black Walnut		.25	
English (Persian)		.45	
English, Chinese variety		.65	
Japanese (sieboldiana), imported	.35	1.00	
Japanese (sieboldiana), domestic	.50	1.50	
Japanese (Heart Nut—sieboldiana cordiformis), imported	.35	1.00	
Japanese (Heart Nut—sieboldiana cordiformis), domestic	.50	1.50	
Manchurian, Coast strain	.45	1.25	
Manchurian, Interior Strain, hardiest of all Walnuts	.50	1.50	
Hybrid Nut (Butternut x Japanese)10 seeds, .35; 100 seeds, 2.50 Hybrid Nut (Japanese Heart Nut x Manchurian)			
10 seeds, .35; 100 seeds, 2.50			
ASPARAGUS, Paradise, a new asparagus, highly resistant to rust, coming into production one year earlier than any other variety, crops yielding			
above average green tender stems of fine flavor, mild in taste		2.25	21.00
Martha Washington	.45	1.50	12.50
100 seeds, .50; 500 seeds, 2.25; 1,000 seeds, 4.00 GOLDENSEAL (Hydrastis canadensis),			
100 seeds, .35; 500 seeds, 1.75; 1,000 seeds, 4.00			
II			
CONIFERS			
A—Conifers of Merit (Insufficiently known to the trad			
Packets—Packets of all items listed can be supplied at 15c. each unless p	oriced of		
PICEA hursti, new and rare American Spruce from N. W. Ontario and British	oz.	1/4 lb.	lb.

	oz.	1/4 lb.	lb.
PICEA hursti, new and rare American Spruce from N. W. Ontario and British Columbia apparently intermediate between Picea canadensis and Picea pungens. In habit similar to the former and often found in specimens equaling in color a good silver foliaged Blue Spruce.			
.30 pkt.; .75 ½ oz.	2.50		
PSEUDOTSUGA douglasi caesia, a strain from the Interior Northwest, intermediate between glauca and viridis. Originating in typical bad land country with severe winters and extreme heat and drought in summer, this variety is as hardy as glauca. It is much faster growing, however, and has not the tendency to lose its lower branches at an early age. Foliage is of pleasant bluish-green color. A good forest tree to plant where the green form is not hardy and a fine ornamental in			
place of glauca	.60	1.05	5.00
if planted in wind-shelter	.70	1.75	6.00

B—General Listing of Conifers			
	oz.	1/4 lb.	lb.
ABIES amabilis	.35	.85	3.00
arizonica	.70	1.75	6.00
balsamea	.15	.50	1.75
cephalonica	.35	.80	2.75
cilicica	.30	.65	3.00
concolor, Colorado	.15	.40	1.50
concolor lowiana	.25	.50	1.75
firma	.20	.40	1.50
fraseri	.45	1.20	4.00
grandisholophylla	.30	.60	2.00
homolepis (brachyphylla)	.30	.65	2.25
lasiocarpa	.35	.75	2.50
magnifica	.35	.75	2.50
magnifica shastensis	.35	.75	2.50
mariesi	.35	.75	2.50
nobilis	.40	.90	3.00
nordmanniana	.30	.75	2.50
pectinata	.35	.75	2.50
pinsapo	.35	.75	2.50
sachalinensis	.45	1.00	3.50
spectabilis (webbiana) Himalayan Silver Fir	.55	1.65	5.00
veitchi	.30	.65	2.25
venusta	.65	1.50	5.00
BIOTA, see Thuja			
CEDRUS, delivery of Cedrus items uncertain, depending upon developments			
in Europe. atlantica	.35	.75	2.50
atlantica argentea (glauca)	.45	1.00	3.50
deodara	.35	.75	2.50
libani	.35	.75	2.50
CEPHALOTAXUS drupacea	.20	.45	1.25
fortunei	.25	.60	2.00
harringtonia	.20	.45	1.60
CHAMAECYPARIS lawsoniana	.25	.60	2.00
lawsoniana, seed from Scandinavia, a hardy strain	.30	.75	2.50
lawsoniana argentea	.40	.90	3.25
lawsoniana pendula glauca	.45	1.25	3.75
lawsoniana pyramidalis	.35	.80	2.75
nootkatensis	.75	2.20	6.75
obtusa	.15	.40	1.50
pisifera (retinispora)	.35	.75	2.50
CRYPTOMERIA japonica, seed from Japan	.15	.40	1.50
japonica araucarioides	.40	1.00	3.50
japonica elegans	.40	1.00	3.50
- japonica lobbi	.40	1.00	3.50
CUNNINGHAMIA lanceolata (sinensis)	.45	1.00	3.50
CUPRESSUS arizonica	.40	.90	3.00
forbesi, a rare Californian species, for its disease resistance preferred to			
Cupressus macrocarpa			
funebris	.35	.85	2.80
goveniana	.40	1.10	3.75
lusitanica	.35	.80	3.00
macnabiana	.40	1.10	2.35
macrocarpa, seed from garden specimens	.35	.85	3.00
sempervirens horizontalis	.20	.40	1.50
sempervirens pyramidalis (stricta)	.20	.40	1.50
torulosa	.35	.75	2.50
GINKGO biloba, domestic	.15	.20	.50
GIVAGO biloba, domestic	.13	.20	.50

			===
	44	1/4 lb.	11.
HINIDEDIIC abinancia alcan	oz.	.75	lb. 2.75
JUNIPERUS chinensis, clean			1.25
communis, domestic	.20	.35	
communis canadensis	.15	.40	1.50
communis depressa (prostrata)	.15	.40	1.45
communis montana (siberica) seed from Montana	.15	.40	1.45
drupacea	.15	.40	1.50
formosana, Chinese Weeping Juniper, graceful new Juniper said to be			
hardy North			
horizontalis, a fine hardy Juniper from Montana	.25	.65	2.25
japonica	.55	1.25	4.50
monosperma	.15	.40	1.50
procumbens, clean	.45	1.00	2.50
rigida	.50	1.25	4.25
sabina	.25	.50	1.75
scopulorum, seed from Colorado	.20	.35	1.35
seed from Montana or Dakota	.15	.40	1.50
scopulorum, columnar type, a natural form found in isolated stands in	.10	.40	1.50
	05	==	0.00
Montana	.25	.55	2.00
scopulorum, spreading type, a hardy prostrate form from Montana	.15	.40	1.25
scopulorum, seed from selected trees, blue or bright green	.25	.50	1.75
virginiana, seed from New England	.15	.40	1.50
seed from Tennessee	.15	.25	.95
seed from Nebraska, Platte River type	.15	.40	1.25
Platte River type, clean	.30	.65	2.25
LARIX europaea, 1000-2000 ft	.35	.80	3.00
europaea, large grained seed from Western High Alps, 5000-6000 ft., leaf-	.55	.00	3.00
	co	1 50	5.00
shedding disease resistant	.60	1.50	
laricina (americana)	.95	2.35	8.00
leptolepis	.75	1.75	6.00
occidentalis	.45	1.10	3.75
LIBOCEDRUS decurrens	.25	.60	1.75
PICEA ajanensis, see jezoensis.			
breweriana	1.50	4.50	
canadensis (alba-glauca)—One pound of WHITE SPRUCE seed sown			
broadcast will plant about 25 yds. of 4 ft. wide bed.			
seed from Northern New England or Canada	.40	.90	3.00
canadensis albertiana, Black Hills Spruce	.75	1.75	6.00
engelmanni	.40	.90	3.00
excelsa—One pound of NORWAY SPRUCE seed sown broadcast will			
plant about 15 yds. of 4 ft. wide bed.			
seed from Central Europe	.25	.55	2.00
seed from North Central Europe—supplies uncertain	.30	.75	2.50
glehni	.55	1.50	2.00
hursti (described ahead)	2.50	1.00	
jezoensis	.45	1.00	3.50
jezoensis hondoensis	-		3.00
	.30	.90	
koyamai	.65	1.75	6.00
mariana (nigra)	.55	1.25	4.50
morinda, see smithiana.			
orientalis30, 1/4 oz.	.90	3.00	
pungens	.30	.90	3.00
pungens glauca, Colorado Blue Spruce, from blue stands	.45	1.10	3.75
hand picked from blue trees	.75	1.80	6.00
hand picked from highly colored specimen trees50, 1/4 oz.	1.50	4.00	
rubra	.50	1.10	4.00
sitchensis	.50	1.10	4.00
sitchensis from Alaska	.50	1.25	4.50
smithiana (morinda)	1.25	1.20	7.00
		1221	-
PINUS albicaulis	.75	1.80	6.00
aristata	.35	.90	3.00
attenuata	.60	1.50	5.35

F. W. SCHUMACHER

US (continued) banksiana bungeana, Lacebark Pine, a holy tree of the Chinese planted in temple grounds, bark becomes chalky white on old trees. canariensis caribaea cembra cembra sibirica contorta contorta latifolia, see murrayana coulteri densiflora	.35 .40 .30 .30 .25 .40	.90 .90 .75 .85	3.0 3.0 2.5
bungeana, Lacebark Pine, a holy tree of the Chinese planted in temple grounds, bark becomes chalky white on old trees	.40 .30 .30 .25	.90 .75 .85	3.0
grounds, bark becomes chalky white on old trees. canariensis caribaea cembra cembra sibirica contorta contorta latifolia, see murrayana coulteri densiflora	.30 .30 .25 .40	.75 .85	2.5
caribaea cembra cembra sibirica contorta contorta latifolia, see murrayana coulteri densiflora	.30 .25 .40	.85	-
cembra cembra sibirica contorta contorta latifolia, see murrayana coulteri densiflora	.25 .40		
cembra sibirica	.40	.50	2.2
contortacontorta latifolia, see murrayana. coulteridensifloradensiflor			1.3
contorta latifolia, see murrayana. coulteridensifloradensiflora	/	1.50	5.0
coulteridensifloradensiflora		1.00	
densifloradensiflora	.30	.90	2.
	.15	.40	1.
echinata	.55	1.25	4.
edulis	.15	.25	
excelsa	.35	.90 .85	3.
flexilisgerardiana	.55	1.25	4.
halepensis	.20	.45	1
jeffreyi	.30	.75	2.
khasya, from Cochinchina20, pkt.; .35, 1/4 oz.	1.00		
koraiensis	.15	.25	
koraiensis, Northernmost form from interior Manchuria, much hardier			
than the usual strain from Korea	.35	.90	2.
lambertiana	.20	.50	1.
leucodermis	.55	1.25	4.
maritima, see pinaster	.00	1.20	
massoniana, Chinese Red Pine	.25	.60	2.
	1.00		
montana mughus	.45	1.10	3
montana uncinata	.45	1.10	3
montezumae	.95	2.50	8
monticola	.55	1.25	4.
murrayana (latifolia)	.50	1.40	4.
nigra (austriaca) seed from Austria—One pound of AUSTRIAN PINE seed sown broadcast will plant about 16 yds. of 4 ft. wide bed	.35	.90	3.
nigra poiretiana (laricio) Corsican Pine	.55	1.35	4.
palustris	.15	.40	1.
parryana, hardy dwarf Pine, fine for specimens	.50	1.50	5.
parviflora (pentaphylla)	.25	.55	2.
patula	.80	3.00	
peuce, true	.45	1.00	3.
pinaster (maritima) from inland forests	.15	.45	1.
French seed collected from seashore plants only	.20	.50	1.
Corsican seed from high elevation 4500 ft	.30	.75	2.
pinea	.15	.45	1.
conderosa, seed from Pacific Coast (timber strain)	.25	.75	1.
seed from Black Hills and Northern Rockies	.30	.75	2.
oumila	.45	1.50	
adiata (insignis)	.30	.75	2.
esinosa	.60	1.50	5.
igida, New England	.25	.60	2.
abiniana	.20	.35	1.
inensis (tabulaeformis), Chinese Pine, attention has turned lately to this beautiful and extremely hardy Pine. A notable ornamental according			
to the late E. H. Wilson	.35	.75	2.
about 10 yds. of 4 ft. wide bed.			
North Eastern seed	.35	.75	2.

	oz.	1/4 lb.	lb.
PINUS (continued)	OZ.	/4 10.	ID.
sylvestris-One pound of SCOTCH PINE seed sown broadcast will plant			
about 18 yds. of 4 ft. wide bed.			
North-Western Europe	.40	.85	3.25
Seed from Latvia or Finland—RIGENSIS STRAIN—supply uncer-			
tain	.55	1.25	4.50
seed from Scotland	.60	1.75	
tabulaeformis, see sinensis			
taeda	.35	.80	2.75
thunbergi	.20	.50	1.50
torreyana	.60	1.50	5.00
virginiana	.60	1.50	5.00
PSEUDOTSUGA douglasi caesia (described ahead)	.60	1.65	5.00
douglasi caesia, high elevation 4000 feet	.75	1.75	6.00
douglasi glauca, Colorado	.45	1.00	3.50
douglasi viridis, Coast Strain	.55	1.25	4.50
SCIADOPITYS verticillata	.45	1.00	3.50
SEQUOIA gigantea	.85	2.25	7.50
sempervirens, domestic seed only	.35	.90	3.25
TAXODIUM distychum	.15	.40	1.50
TAXUS baccata	.25	.50	1.75
baccata adpressa	.35	1.00	1
baccata fastigiata (pyramidalis)	.35	.95	3.00
canadensis	.45		0.00
cuspidata capitata (imported)	.25	.40	1.50
cuspidata, domestic seed	.40	.95	3.00
media hicksi	.50	1.50	
THUJA occidentalis	.35	.95	3.00
occidentalis pyramidalis	.40	1.00	3.50
THUJA (Biota) orientalis, domestic seed	.20	.40	1.50
imported seed	.15	.45	1.25
orientalis aurea	.35	.60	1.75
	.35	.80	2.75
orientalis aurea nanaorientalis compacata (sieboldi)	.30	.75	2.50
	.35	.75	2.50
orientalis conspicua	.30	.75	2.50
orientalis nana	.30	.75	2.50
orientalis pyramidalis	.50	1.25	4.00
plicata (gigantea-lobbi)			1.75
TORREYA californica	.25	.50	
TSUGA canadensis, New England or Canada	.75	1.75	6.00
caroliniana	.75		6.00
diversifolia	.55	1.30	4.50
heterophylla	.65	1.75	6.50
mertensiana	.95	2.25	8.00
sieboldi	.55	1.30	4.50
111			
DECIDUOUS TREES AND SHRUBS			

A-Trees and Shrubs of Merit (Insufficiently known to the trade)

Packets—Packets of all items listed can be supplied at 15c. each, unless priced otherwise.

	pkt.	16 OZ.	1/4 OZ.	oz.	1/4 10.	ID.	
ALNUS maritima, native, tall, ornamental shrub, attractive							
in autumn with dark green foliage and yellow pendulous							
				35	.75	2.50	
catkins				.33	.13	2.30	
AMELANCHIER canadensis, the true Downy Shadblow							
(not the usual mixture of various species), snow-white							
flowers before leaves. Habit erect, a rather stout							
shrub or small tree, the true seed is scarce, dry berries				.50	1.25	4.50	

	nk+	1/16 oz.	1/207	0.7	1/, 11-	lb.
AMELANCHIER (continued) canadensis, clean	pkt.	716 02.		.35		12.00
grandiflora. Apple Shadblow, said to be a natural hybrid between canadensis and laevis. In habit much like laevis, but larger in all parts, buds often purplish pink, tinged pink when open (var. rubescens). With the large berries borne in clusters, plants have the appearance of a cherry tree laden with fruit. Due to its profuseness of bloom and fruiting this may easily be classed, when better known, as the most valuable of our Eastern Shadblows.			•			4.00
laevis, Allegheny Shadblow, Northern strain, the hand- somest Amelanchier in flower with the young purplish foliage and drooping flower racemes expanding at same time. Slender shrub usually not attaining size of canadensis or grandiflora. New England seed				40	1 10	3,50
oblongifolia (botryapium or obovata), Thicket Shadblow. For landscape planting this Amelanchier has its special feature. Like no other of the group it makes a small, many branched shrub, while young, suitable for formal planting or as cover shrub in borders and a cover and food plant in wild-life reservations. The first Amelanchier to bloom and fruit (Juneberry) and attractive by the silvery color of its unfolding foliage. Seed is hard to collect and not available every season						5.00
stolonifera hybrid, the botanical status of this does not seem to be properly established as yet. Plants are to breast high, in foliage, bloom and fruiting habit much like grandiflora and laevis. Berries are the largest of all our Eastern Amelanchier, remarkably tender skinned, good to eat and for preserves			.15		1.25	5.00
AMPELOPSIS henryana, Silvervein Creeper, handsome creeper from China with purplish foliage and white veins.			.20	.55	1.70	6.00
ARCTOSTAPHYLOS uva-ursi, Bearberry, the very best ground cover plant for light sandy soils, dune-lands, rocky slopes, an excellent ornamental with its shiny foliage. New England seed				.20	.75	1.75
AZALEA altaclarensis, Altaclare Azalea, said to be a hybrid between Azalea mollis and our native viscosa, remarkable for its deep yellow flowers	.25	.75	2.00	6.50		
CELASTRUS angulata latifolia, rapidly growing new species from China, with large leaves to 6 inches long		.20	.30	.90)	
CLADRASTIS (Virgilia) lutea (tinctoria) Yellow Wood, this fine native tree should be planted more frequently, hardy here it grows to 50 feet high, has white flowers in long clusters and attractive foliage turning yellow						
in the fall				.30	.85	3.00
cotoneaster adpressa, Creeping Cotoneaster, prostrate more adapted to small rockeries than horizontalis and with larger berries, hardy in New England foveolata, little known Cotoneaster of stout, erect habit with large distinctive foliage. A fine ornamental, hardy in New England, easily the best of the black			.25	.60	1.75	6.00
fruited varieties			.20	.50	1.50	
more prostrate than horizontalis	.20		.35	1.00		

	pkt. ½	16 oz .	1/4 oz.	oz.	⅓ lb.	lb.
wilsoni (horizontalis wilsoni) Wilson Cotoneaster, the Japanese counterpart of horizontalis, reliably hardy North, growing more densely and compact than						
horizontalis			.25	.60	1.75	6.00
CRATAEGUS crusgalli, Cockspur Hawthorn. We offer this true to name, seed collected from specimen plants bristling with thorns.						
Fresh fruit\$2.50, 10 lbs.; \$19.50, 100 lbs. Dry berries				.25	.25 .60	.30 .90 2.00
mollis, Downy Hawthorn, a vigorously growing native Hawthorn with large impressive foliage, white flowers with red disk, large scarlet fruit.				,23	.00	2.00
Dry berries				.15	.25 .45	.55 1.25
glossy foliage and heavy crops of brilliant orange scarlet berries retained well into Winter. Dry berries					.25	.75
Clean seed				.35		3.00
Dry berries				.25	.25 .65	.75 2.25
punctata, Dotted Hawthorn—Native. As a small shade tree with spreading branches forming an umbrella-like head it is much used for planting in parks and public grounds. Has distinctive foliage quite different from other Hawthorns and dull red berries.						
Fruit. 10 lbs., \$3.00 Dry berries				.20	.25 .45	.35 .75 1.50
CYTISUS carlesi, a rock garden jewel blooming in July, it makes a graceful dwarf shrub less than 3 ft. high	.25	.35	1.25			
ratisbonensis. Spring Broom, the first Cytisus to bloom in our collection early in May. A slender shrub to 6 ft. It is entirely hardy here and has come unscathed through winters in which even Cytisus supinus showed						
some frost damage10 seeds, .15; 100 seeds, .45 supinus (capitatus) Bigflower Broom, smothered with blooms in July. This Broom, with its neat compact						
habit to 3 ft. high of globular shape, deserves the attention of landscape planters and soil conservationists. Plants grow and succeed in the poorest of soil and prove hardy with us. Transplanting in Spring offers no trouble						
if tops are cut back severely. 6500 seeds to the ounce. DAPHNE cneorum, Garland Flower. This plant does not			.25	.75	1.75	6.50
seed satisfactorily in low altitudes. Seed offered is collected under great difficulties 5000 ft. above sea level50 seeds, .45; 100 seeds, .75; 1000 seeds, \$6.00						
EUONYMUS bungeanus, the only Oriental Euonymus found frequently planted in this vicinity ultimately forming a small tree of graceful habit with pendulous branches and fairly persistent ornamental fruit, perfectly hardy						
North				.35	.75	2.50
due to its moderate size, large foliage and brilliant display of fruit, hardy in New England	.25		.75			

	nkt.	1/16 oz.	1/4 07.	07.	1/4 lb	. Ib.
FOTHERGILLA major	.35	710 02.	.75	02.	74 10	. 15.
opinion, the more valuable of the two	.35		.75			
FRANKLINIA (Gordonia) Alatamaha, the well known Franklinia, America's choicest flowering shrub blooming in late Summer and Fall. 10 seeds, .65; 160 seeds, 5.50						
LAURCCERASUS officinalis zabeliana, the hardiest species in cultivation, winters around here if given wind protection. A fine low broadleaved evergreen with hand-						
LONICERA alpigena, a low upright shrub, attractive by its heart-shaped red fruit in July. This species can be	.25		.45	1.25		
recommended for trials			.20	.50	1.50	
MALUS baccata, Siberian Crab, clean seed			_	.60	1.75	5.25
baccata, dry pomes			d	.35	.75	2.50
of red or yellow berry-like fruit. Domestic dry pomes. robusta, a baccata Hybrid, faster growing and attaining flowering size sooner than baccata, a fine ornamental Crab, truly named for its robust habit, broad pyra- midal in shape, a mass of large apple-blossom flowers in May. May be expected to be hardy far to the				.35	.75	2.50
North. Ten year plants, from seed, measure 20 feet high				.40	.95	3.00
raised from seed. Domestic dry pomes			.20	.35	.75	2.50
RIBES fasciculatum, Japanese Alpine Currant, shrub similar to Ribes alpinum, with persistent foliage and scarlet fruit remaining on the plants over winter, a fine ornamental	.15		.30	.90		
ROSA ecae (primula) shrub to 6 ft., hardy in New England, with attractive fragrant foliage, and an abundance of small yellow flowers (1½ in. across) in May 10 seeds, .20; 100 seeds, \$1.50	.10			.30		
SAMBUCUS coerulea, most impressive of native Elder- berries, with large flower heads and conspicuous bluish white fruit			.15	.30	.85	3.00
SMILAX rotundifolia, no better cover for bird sanctuaries can be found than a thicket of Green Briars with its inter-twining mass of prickly branches				.20	.40	1.25
SORBUS scandica, Swedish Mountain Ash, remarkable ornamental from Scandinavia, large shrub or small tree with attractive foliage and red berries. Clean seed.	.20		.50	1.50		
SYMPLOCOS paniculata (crataegoides), Asiatic Sweetleaf, hardy in New England, ornamental shrub valued for its fragrant white flowers in spring and bright blue		*				
berries in fall.				0.0		0.70
Imported clean seed				.30	.75	2.50

SYRINGA henryi lutece, a hybrid between josikaea and villosa, faster growing and having larger flower-panicles than either parent, easily grown from seed. For its outstanding ornamental qualities this hybrid strain	pkt.	½ oz.	1/4 oz.	oz.	¹⁄₄ lb	. lb.
josikaea rosea. The rose flowered form of the Hungarian Lilac, in our opinion, is the best of the josikaea varieties and perhaps the most garden-worthy of all the Lilac species. It is a vigorous grower starting to bloom at an early age with large compact flower panicles thrust out on long branches in prominent display quite in			.35	1.00	3.00	
contrast to the reserved flowering habit of josikaea. Plants come true from seed ULMUS hollandica (campestris latifolia) a splendid strain of Elms, combining the features of Scotch and English Elms, seed may be sown late in fall for spring germi-	.25		.35	1.00	3.00	
viburnum from China, to 10 feet, with birchlike foliage				.25	.60	1.85
and large clusters of bright red berries	.35					
bright green foliage and fragrancy of its flowers				.35	.75	2.50

B.—General Listing of Trees and Shrubs

PACKETS—Packets of all items listed can be supplied at 15c. each, unless priced otherwise.

Tackets of all feeling library can be supplied at a	ioc. cacii, a	nicas pr	icca oi	JICI WIS	C.
ACANTHOPANAX leucorrhizus scaberulus	pkt. ½ oz.	½ oz.	oz.	1/4 lb.	lЬ.
ricinifolium	,_		.35	.75	2.50
senticosus	.25	.35	.55	. 13	2.50
senticosus	.23	.33			
ACER campestre			.20	.35	1.25
carpinifolium			.25	.70	2.25
dasycarpum (New England seed, large quantities in crop			.20	•••	2.20
years) Order in April			.15	.25	.65
ginnala			.15	.40	1.50
hersi					
insigne25 seeds, .25					
macrophyllum, fine Western Maple			.20	.40	1.25
monspessulanum			.20	.45	1.75
neapolitanum	.25				
negundo			.15	.25	.75
negundo californicum			.45	1.35	•••
nikoense, fine Japanese Maple, with brilliant fall coloring			.35	.75	2.50
			.15		
palmatum				.40	1.50
palmatum atropurpureum			.85	2.30	7.50
pennsylvanicum			.25	.60	2.00
platanoides, here collected			.15	.25	.75
pseudo-platanus			.15	.30	1.00
pseudo-platanus purpurascens			.15	.35	1.25
rubrum, Southern seed, ripe in March				.50	1.50
rubrum, New England seed, ripe in June			.35	.75	2.50
saccharum			.15	.35	1.25
			.35	1.00	3.25
spicatum					
tataricum			.15	.40	1.25
ACTINIDIA arguta		.25	.60	1.75	5.00
lanceolata		.50	1.50	1.13	3.00
polygama	.35	.50	1.50		

	pkt. 1/6 oz.	1/4 07.	07.	1/4 lb.	lb.
AESCULUS glabra	Price >10 one	/4 024	021.	/4 100	.30
hippocastanum					.15
octandra					.35
				~=	
AILANTHUS glandulosa			.15	.25	.75
vilmoriniana		.15	.35	1.00	
AKEBIA lobata, a fine climber with large foliage and inter-					
esting fruiting habit			.15	.40	1.50
quinata			.15	.40	1.35
ALBIZZIA julibrissin			.15	.30	1.00
			.13	.30	1.00
julibrissin, rose flowered, the best garden form, hardy			214	70	0.50
around Boston			.35	.70	2.50
ALEURITES fordi, Tung-Oil Tree			.15	.40	1.25
ALNUS cordata (cordifolia)			.25	.60	2.00
glutinosa			.15	.40	1.25
incana			.25	.60	2.00
maritima, described ahead			.35	.75	2.50
rubra (oregana)			.40	.85	3.00
rugosa, native Alder, useful ornamental and cover shrub					
on wet ground			.15	.40	1.25
		4 10	_		
AMELANCHIER alnifolia		.15	.25	.70	2.50
canadensis, the true canadensis, dry berries		.20	.50	1.25	4.50
clean seed			1.35	3.50	12.00
canadensis, collector's seed, the grade usually available					
in the trade, consisting of various Eastern species,					
including most all of this listing, dry berries			.30	.75	2.50
clean seed			.90	2.50	8.00
grandiflora (canadensis x laevis, natural hybrids)			.45	1.25	4.00
laevis, Northern		.15	.40	1.10	3.50
oblongifolia (botryapium), true		.20	.55	1.35	5.00
stolonifera		'.15	.30	.90	3.00
stolonifera, dwarf, almost prostrate form		.20	.50	1.25	4.50
stolonifera, hybrid, laevis resemblance, described ahead		.15	.45	1.25	
AMORPHA canescens			.25	.65	2.10
fruticosa			.15	.25	.85
microphylla (nana)			.25	.75	
- • • • • •					
AMPELOPSIS aconitifolia100 seeds, .35; 1000 seeds, 2.00		4 10	400		
brevipedunculata		.15	.45	1 70	C 00
henryana		.20	.65	1.70	6.00
heterophylla (amurensis)			.30	.75	2.50
megalophylla, Large Leaf Ampelopsis					
100 seeds, .35; 1000 seeds, 1.25					
quinquefolia, berries			.15	.30	.85
clean			.15	.40	1.50
thomsoni, handsome new species, with striking red foliage					
in fall	.35				
tricuspidata, clean			.15	.40	1.50
tricuspidata, we are able to offer the true large-leaf type					
of this (A Veitchi robusta) leaves to 8 in. across		.25	.75		
AMYGDALUS, see Part I					
ARALIA chinensis, Chinese Anglica tree			.25	.45	1.75
hispida, Bristly Sarsaparilla			.35	.85	3.00
spinosa			.15	.35	1.25
ARBUTUS menziesi			.35	.75	2.50
unedo, clean			.25	.60	2.00
·		25			
ARCTOSTAPHYLOS columbiana		.25	.65	60	2.00
glauca		0.5	.25	.60	2.00
pungens		.25	.85	-	0.00
tomentosa			.25	.60	2.00
uva-ursi, New England seed			.20	.55	1.75
19					

ARDISIA crenulata, Coral Ardisiajaponica, Creeping Ardisia	pkt.	½ oz.	1/4 oz.	oz. .35	¹ / ₄ lb. .75 1.00	lb. 2.60
ARISTOLOCHIA sipho, true large-leaved Aristolochia tomentosa			.15	.50	1.25	4.50 1.50
ARONIA arbutifolia			.20	.15 .50	.35	1.25
melanocarpa elata, Glossy Chokeberry shrub to 9 ft. high				.15 .15	.35	1.25
ASIMINA triloba				.15	.70 .35	2.50 1.25
ATRIPLEX halimus				.20	.45	1.50
AZALEA, Botanical Species						
albrechti	.75	25	60	2 00		
arborescens		.25 .20	.60 .50	2.00 1.75		
canescens		.35	.75	2.50		
dahuricadilatata	.25	.30	.85 1.25	3.00		
hinodegiri, see under Azalea Hybrids.						
japonica, with flowers of salmon, red and yellow shades, strain as originally introduced by the Arnold Arbo-	.25	.75				
retum, plants are entirely hardy in New England	.25	.75	2.00			
japonica, seed from Japankaempferi, imported		.20 .20	.60 .60	2.00		
kaempferi, domestic seed, collected from New England		.20	.00	2.00		
garden specimens, a hardy strain	.20	.45	1.25	4.00		
ledifolia noordtiana (japonica alba grdfl.) a splendid white form	.35	.75	2.50			
mollis, choicest domestic	.20	.35	1.00	3.00		
mollis, from European Garden varieties mollis, seed from Japan		.75 .15	2.00	6.00 1.00	2.25	7.00
mollis (sinensis) Wild Chinese Yellow Azalea		.25	.65	2.25		*****
mucronulata nudiflora		.25 .25	.60 .60	2.00 1.75		
obtusa kiusiana (obtusa japonica) the original wild			.00	1.75		
"kurume" occidentalis	.35	1.00	.70	2.50		
pentaphylla (quinquefolia rosea)	.25	.75	.70	2.50		
pontica	.20	.40	1.10	3.50		
poukhanensis, imported	.20	.25 .70	.70 2.00	2.50 6.00		
procumbens (Loiseleuria pr.)	.85					
quinquefolia (alba)	.25 .25	.75 .40	1.25			
rosea	.20	.40	1.50			
schlippenbachi, domesticschlippenbachi, imported	.20	.25	.75	2.50		
sinensis, see mollis		.25	.55	1.75		
vaseyi		.25	.55	1.75		
viscosa		.25	.60	2.00		
AZALEA Hybrids calendulacea x arborescens	.25	.45				
Ghent Hybrids (gandavensis) hybrids of Azalea pontica	.23	.43				
with American species, representing the most flori- ferous and brilliant Azaleas in cultivation, seeds do not						
germinate as easily as those of mollis varieties and						
should receive special attention after planting, spring						
planting secms to give hest results. Domestic seed of named and un-named varieties	.35	.75	2.00			

	-1.	1/	1/		1/, 12.	11.
AZALEA HYBRIDS (continued)	pkt.	1/16 oz.	1/4 OZ.	02.	√ ₄ lb.	ib.
Ghent Hybrids, named varieties at .50 pkt.; \$2.00 for						
1000 seeds, unless marked otherwise.						
Alba Odorata, pure white, sweet scented Albicans, white						
Altaclarensis, fine yellow	.25	.75	2.00	6.50		
Charlemagne, soft orange						
Coccinea purpurea						
Comte de Flanders, orange Flamboyant, orange						
General Trauff, pink	.25	.75	2.00	6.50		
Heureuse Surprise, white shaded rose spotted nankeen			2.00	6.50		
Othello, pink						
Prince Camille de Rohan, light orange Roi des Feux, fiery red						
William III, orange						
Mixture of named varieties		.35	1.00			
indica, from choice named varieties	.50					
indica macrantha hybrida	.30	1.00				
kaempferi Hybrids kaempferi x indica crispiflora, flowers in indica						
fashion, habit and hardiness of kaempferi	.50					
kaempferi x malvatica	.50					
kaempferi x poukhanensis	.50					
Named varieties: Carmen, rose color	.50					
Cleopatra. old rose	.50					
Fedora, salmon rose	.50					
Othello, brick red	.50					
kurume, these are Garden forms and Hybrids of Azalea						
obtusa kiusiana (obtusa japonica), seeds of varieties offered are from our own pot-grown plants carefully						
hand-pollenized.						
Bridesmaid, fine salmon pink, our hand-pollenized						
seed is of amazing vitality, resulting in quick and	=0					
even germination	.50 .50					
Flame	.50					
Hinomayo, soft pink	.50					
Hinodegiri, hand-pollenized	.50	=0	1 50			
Hinodegiri, imported seed	.25	.50	1.50			
Sweet Briar, light rosekurume, all shades, imported seed	.35	1.00				
mollis x japonica (mollis x sinensis), a fine large	,,,,	2000				
flowered strain of mollis1.75 1/32 oz.	.75					
mollis x occidentalis	.50					
mollis x viscosa	.25 .50					
obtusa arnoldiana (amoena x kaempferi) a fine hardy	.50					
hybrid of kaempferi habit originated at Arnold Arbore-						
tum, more vigorous and free blooming than amoena.						
This plant deserves special attention for its brilliant, deep red fall coloring, with leaves persisting long after						
others have dropped	.45	1.50				
pontica hybrida (grandavensis) see Ghent Hybrids						
BACCHARIS halimifolia				.25	.65	2.00
BEAUMONTIA grandiflora (tender), Herald's Trumpet,						
a most remarkable evergreen vine with "Easter Lily"						
flowers10 seeds, .25; 100 seeds, 1.25						
BENZOIN aestivale				.15	.35	1.25
BERBERIS brachypoda	.25		.75			
candidula	.35					

	pkt.	¹∕ ₁₆ oz.	1/4 oz.	oz.	1/4 lb.	lb.
Chinese Hybrids, hardy species	.20		.30			
dictophylla	.35					
julianae100 seeds, .95; 1000 seeds, 4.50 koreana			.15	.55	1.25	4.50
thunbergi, New England seed. Fresh berries, fall delivery					.30	.85
Dry berries					.50	1.50
Fresh berries, broken up prepared for fall planting Clean seed				.25	.30	.9 5 2.25
thunbergi atropurpurea, Purple Leaf Japanese Barberry. Our seed being collected from a large block should give						
a better percentage of Red Plants than seed collected				_		
from small plantings. Seedlings kept under shade will not assume full coloration until fully exposed to light.						
dry berries				.60 1.35		5.00 12.00
(quantity price upon request)				1.33	3.30	12.00
thunbergi minor, Box-Barberry50 seeds, .35 verruculosa		.30	.75			
BERCHEMIA kulingensis, vine with bright red fruits in						
summer	.35					
BETULA alba pendula (verrucosa) European Weeping or Silver Birch				.20	.50	1.50
alba (pubescens or odorata) European White Birch, a Northern species, will grow on peat and bog land				.20	.50	1.50
ermani				.30	1.00	1.00
grossa, Japanese Cherry Birch			.20 .20	.45 .40	1.25	
japonica mandshurica, one of the best of Birches	.25			.25	.85	3.00
lutea				.25	.40	1.50
maximowiczinana	.30		.75			
nigra				.25	.75 .40	2.50 1.50
papyriferapapyrifera cordifolia				.20	.50	1.75
populifoliapumila	.25			.25	.60	2.00
BIGNONIA capreolata				.30	.70	2.50
grandiflora			.20	.60 .25	2.00	2.00
BROUSSONETIA papyrifera				.40	1.20	4.00
BRUCKENTHALIA spiculifolia	.35			.10	1	
BUDDLEIA davidi (variabilis) magnifica				.30	.70	2.50
davidi (variabilis) nanhoensis, dwarf variety to 4 ft. with flowers of rose color	25	.35	1.25			
davidi (variabilis) veitchiana	.25	.15	.30	.80	2.75	
globosajaponica (curviflora) sky blue flowers. Excellent grade of	.25					
domestic seed	.20	.30	.75	2.50		
BUPLEURUM fruticosum	.25					
BUXUS microphylla koreanasempervirens				.55 .25	1.30 .65	4.50 2.10
CAESALPINIA gilliesi, Bird of Paradise Shrub, an interesting shrub for the South, magnificent yellow flowers with						
red stamens in large clusters			.20	1.15	1.10	3.75

	pkt.	1/16 oz.	1/4 oz.			lb.
CALLICARPA americana	.20			.15	.35	1.25
giraldiana, China	.20		.25	.75		
giraldiana subincanescens, China			.25	.75		
koreanadiahatama) damatia and			.25	.75 .35	.90	3.00
purpurea (dichotoma) domestic seed				.33	.90	3.00
CALLISTEMON rigidus	.20 .20		.55 .55	1.50 1.50		
speciosus	.20		.33	.20	.45	1.25
CALLUNA vulgaris, capsules			.25	.75	2.25	6.50
vulgaris alba	.30		,	***		•••
CALYCANTHUS floridus				.15	.35	1.25
occidentalis				.30	.75	2.25
praecox, see Meratia						
CAMELLIA japonica, domestic seed				.25	.60	2.00
japonica, imported, single flowered				.15 .35	.35 .85	1.00 3.00
sasanqua, seed from fine collection, shades of white, rose,				.33	.03	3.00
red, double and single, in mixture				.15	.35	1.00
CARAGANA arborescens				.15	.45	1.50
boisi, new Pea-Shrub from China	.20	.30	.85			
frutex	25	.25	.75			
microphylla, true, Littleleaf Pea-Shrubsophoraefolia, Hybrid Pea-Shrub (arborescens x micro-	.25					
phylla)	.25					
CARPENTERIA californica		.35	.95	3.00		
CARPINUS betulus				.15	.45	1.50
caroliniana				.15	.35	1.00
japonica				.35	.75	2.50
laxiflora				.35	.75	2.50
CARYA, see Hicoria						
CARYOPTERIS incana (mastacanthus) beautiful autumn	.20		.35	1.00		
flowering shrub with blue flowers	.20		.35	1.00		
pink flowered	.25		.65			
CASTANEA dentata					.50	1.50
japonica (crenata)					.45	1.50
mollissimapubinervis					.45 .45	1.50 1.50
pumila					.25	.75
sativa					.15	.45
CATALPA bignonioides					.35	1.00
bungei	.20				25	.65
speciosa				.15	.25	1.25
arboreus	.25		.40	1.25	.40	1.20
arboreus hybridus	.25		.40	1.25		
azureus Gloire de Versailles	.20		.45	1.40		
cyaneusjepsoni	.35		.45	1.50		
sanguineus	.45					
spinosus			.40	1.25	1.00	
thyrsiflorusvelutinus	.45		.15	.25	1.00	
	.20			.50	1.50	
CEDRELA sinensis	.20		.30	.90	1.50	
orbiculatus (articulatus), berries	.20	•	.50	.15	.30	1.00
clean				.25	.60	2.00

	pkt.	1/6 oz.	1/4 oz.	oz.	1/4 lb.	lb.
CELASTRUS (continued) scandens, berries				.15	.30	1.00
clean				.25	.60	2.00
CELTIS australis				.15	.45	1.25
chinensis				.20	.40 .40	1.50 1.50
mississippiensisoccidentalis				.15	.45	1.25
tourneforti (orientalis)				.20	.40	1.50
CEPHALANTHUS occidentalis					.25	.85
CERATONIA siliqua				.20	.50	1.65
CERCIDIPHYLLUM japonicum			.25	.60	1.50	5.00
CERCIS canadensis, Southern seed				.15	.45	1.25
Northern Seedcanadensis alba, white flowered Red Bud	.25			.20	.50	1.75
chinensisoccidentalis			.15	.45	1.00 .85	3.50 3.00
siliquastrum			.10	.20	.50	1.50
siliquastrum alba, white				.25	.60	2.00
CHIONANTHUS virginica, clean				.20	.40	1.50
CINNAMOMUM camphora				.20	.50	1.50
CISTUS albiduslaurifolius	.20 .20		.50 .50			
CITRUS trifoliata				.15	.45	1.25
CLADRASTIS (Virgilia) lutea, described ahead				.35	.85	3.00
CLEMATIS alpina		.25	.55			
armandi100 seeds, .35; 1000 seeds, 2.10	0.5					
chinensiscolumbiana	.25 .45					
coccinea		.25	.70	2.25		
of easiest culture, hardy everywhere			.40	1.25		
crispadouglasi	.20	.40	.30 1.20	1.00		
fargesi	.25	120	1.20			
flammula	25	25		.20	.60	2.00
floridagrata grandidentata, China	.25 .25	35				
heracleifolia, blue tub shaped flowers, fragrant			.15	.45	1.35	
heracleifolia davidiana campanileintegrifolia	.25	.30	.95			
jackmani (floribunda or grandiflora) Hybrid Clematis,		.30	.55			
from large flowered Garden varieties		.25	.70	2.00		
ligusticifolia			.35	1.00		
shaped flowers in clear blue	.30	.45				
meyeriana	.25	00	=0	3 F0		
montana grandifloramontana rubens		.20	.50 .50	1.50 1.50		
orientalis (graveolens)		.20	.50	-,		
paniculata			- 15	.20	.50	1.75
rectarecta mandshurica		.25	.15 .75	.40 2.50	1.25	
recta purpurea	.20					
tangutica, with yellow flowers, fine new Clematis	.25		.25	.75	5 2 00	6.00
texensis, see coccinea			.23	. / :	2.00	0.00

	pkg.	1/4 07.	1/4 oz.	0%.	1/4 lb.	lb
CLEMATIS (continued)					/4	
veitchiana, fragrant yellow flowerviorna		.20 .25	.50 .70			
virginiana		.23	.70	.30	.75	2.50
vitalba				.15	.40	1.25
vitalba tauricaviticella	.25		.70	20		0. #0
				.30	.75	2.50
clerodendron fargesi trichotomum, Glorybower, attractive in foliage, with			.25	.75		
fragrant flowers and blue fruits, clean				.20	.50	1.75
-						
CLETHRA alnifoliabarbinervis			.20	.15	.35	1.25
fargesi, fine, large shrub, hardy here			.25	.45		
tomentosa, Woolly Clethra, native, hardy shrub excelling						
alnifolia in its vigorous, upright habit. All Clethra seeds germinate easily when sown on fresh, finely						
cut Sphagnum Moss			.25	.45		
COCCULUS carolinus			.15	.35		
			.13	.33		
COLUTEA arborescens					.45	1.50
CORNUS alba sibirica, clean				.35	.75	2.50
alternifoliaamomum				.20	.50	1.50
clean				.15	.35	1.00 2.00
canadensis				.35	.85	3.00
controversa, Chinese Pagoda Dogwood, clean				.25	.60	2.00
florida, Southern seed, clean				.15	.25	.80
clean				.15	.35	1.00
Northern seed, Middlewest, clean				.15	.35	1.00
florida, seed collected from red flowered plants kousa, Japanese Flowering Dogwood, clean			.20	.50	1.50	1.50
kousa chinensis, the hardier and more beautiful Chinese				.20	.30	1.50
form, clean				.45	1.20	4.00
mas nuttalli				.25	.60	2.00
obliqua			.15	.20	.40	1.35
officinalis	.25					
paniculata, clean				.20	.50	1.75
rugosasanguine, clean				.15	.45 .50	1.25 1.25
stolonifera, clean				.25	.65	2.25
stolonifera flavirama (aurea or lutea) Golden-Twig Dog-						
wood,				.35	.85	3.00
CORONILLA emurus, fine, flowering shrub with akazia-like						
foliageglauca			.20 .20	.50 .50		
	0=			.30		
sinensis, handsome Chinese shrub	.25 .20		.50 .40	1.50		
CORYLUS americana					.25	.70
avellana				.15	.25	.65
avellana atropurpureacolurna, Tree Hazel, a fine shade tree				.20 .25	.50 .60	1.45 2.00
maxima				.15	.30	1.00
COTONEASTER acuminata			.15	.45	1.25	
acutifolia, dry berries			.13	.20	.55	1.85
clean				.40	1.15	3.85
adpressa			.20	.55	1.70	6.00

	pkt.	1/6 oz.	1/4 07.	oz.	1/4 lb.	lb.
COTONEASTER (continued)	pizer	710 02.	/4 021	02.	/4 1~.	110.
adpreessa precox	.20)	.25	.60	2.00	
ambigua	.25		.45	.30	.90	
apiculata			.30	.85		
bullata, clean			.15	.40	1.00	3.50
bullata macrophylla	.20	1	.35	. 40	1.00	5.50
buxifolia, clean	.20		.25	.60	2.00	
conspicua decora, listed formerly as decora, Necklace			,20	.00	2.00	
Cotoneaster, new fine evergreen, prostrate species						
with foliage like Lonicera nitida, red berries strung						
	20		25			
along branches like beads in a necklace	.20		.35			
dammeri (humifusa)	.20	.25	.75			
dielsiana (applanata)			.15	.30	1.00	
dielsiana major, preferable to type			.15	.30	1.00	
divaricata, clean				.40	.95	3.50
foveolata, described ahead			.20	.50	1.50	
francheti				.30	.70	2.50
frigida			.25	.75		
gracilis, slender branched dwarf Cotoneaster, 2 ft., upright						
habit, very attractive by its pendulous clusters of						
bright red fruit	.25					
harroviana, evergreen				.55	1.30	4.50
hebephylla	.25		.35	1.00	1.50	T.50
horizontalis, clean	.20		20	.45	1 25	4.25
	20				1.45	4.40
horizontalis perpusilla	.20		.35	1.00		
horizontalis wilsoni, see wilsoni.						
humifusa (see dammeri)						
integerrima			.20	.40	1.25	
lactea (parneyi) close to harroviana, a fine new evergreen						
Cotoneaster of arching habit, fine foliage and pro-						
fusely fruiting	.15		.20	.45	1.30	4.50
lucida				.25	.60	2.00
melanocarpa (laxiflora), a black fruited variety, flowers						
pinkish in clusters	.25					
microphylla, clean			.20	.50	1.50	
microphylla cochleata	.30				4,00	
microphylla thymifolia	.00		.30	1.00		
moupinensis, clean			.15		1 00	2 50
				.40	1.00	3.50
multiflora			.15	.45	1.20	4.00
nitens			.25	.60	1.65	6.00
pannosa			.15	.45	1.00	3.50
parneyi, see lactea						
praecox, see adpressa						
racemiflora soongarica			.20	.45	1.25	4.00
racemiflora veitchi	.20					
rosea			.20	.60	2.00	
salicifolia			.25	.50	1.50	4.50
salicifolia floccosa		.15	.40			
simonsi				.55	1.25	4.50
tomentosa, clean	.25				2.20	
wilsoni (horizontalis wilsoni)	120		.25	.60	1.65	6.00
zabeli		.15	.35	1.00	1.00	0.00
zabeli miniata, very similar to gracilis, as described		.10	.00	1.00		
above. A first class landscape plant	.25					
above. At the class landscape plant	.23					
CRATAEGUS, for fall planting, fresh berries are available at						
special prices.						
aprica					.25	.75
arnoldiana (clean)					.65	2.25
carrieri (lavallei)					.45	1.25
clean				.60	1.65	5.00
coccinea, clean				.20	.50	1.50
coccinoides					.25	.75

CRATAEGUS (continued)	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
cordata (phaenopyrum), fresh fruit						.65
dry berries				.15	.40	1.20
clean				.30	.75	2.50
crus galli, fresh fruit10 lbs., 2.50; 100 lbs., 19.50						.30
dry berries				- **	.25	.90
clean				.25	.60	2.00
douglasi				.25	.60 .25	2.00 .75
macrantha, with large thorns					.25	.75
clean				.25	.45	1.25
nitida, described ahead, dry berries				.20	.25	.75
clean				.35	1.00	3.00
oxyacantha, English Hawthorn, two stone variety					.45	1.50
oxyacantha monogyna, English Hawthorn, one stone						
variety, the English Hawthorn of Colonial Gardens				.15	.45	1.50
clean				.15	.30	.50
fresh domestic berries in season				•		.20
persistens, with lustrous foliage and conspicuous orange-					40	
scarlet fruit lasting well into late fall				.20	.40	1.25
pinnatifida, cleanprunifolia, described ahead, dry berries				.15	.40	1.50 .75
clean seed				.25	.65	2.25
punctata, described ahead, fresh fruit10 lbs., 3.00				.20	.03	.35
dry berries					.25	.75
clean				.20	.45	1.50
punctata aurea					.25	.75
succulenta					.25	.75
tomentosa				.15	.40	1.25
CYDONIA japonica, imported				.35	.80	2.75
japonica, seed from Garden specimens of the tall flowering					•••	2.,0
Quince of Colonial Gardens, here collected			.20	.55	1.25	4.50
japonica pygmaea				.15	.40	1.50
maulei, salmon flowered dwarf Quince				.35	.80	2.75
vedrariensis (japonica x maulei)			.25	.75		
CYTISUS albus, the true albus dwarf shrub to 12 inches, hardy						
North	.20					
alpinus, see Laburnum	0					
austriacus	.20		.45	1.25		
austriacus heuffeli	.25					
battandieri, fine vigorous species with silvery foliage						
and laburnum-like flowers	.30		.50			
capitatus, see supinus						
carlieri, fine new species of compact habit, yellow	.30					
dallimorei	.30					
elongatus, to 3 ft., yellow flowers with brown marks	.25		.75	1 50		
glabrescens, compact shrub, bright yellow flowers griesebachi, a dwarf supinus fine for rock gardens	.25 .25	.35	.50	1.50		
hirsutus (triflorus) to 2 feet, early flowering, clusters of	.23	.33				
buff flowers, very handsome Rock Garden shrub	.25		.60	1.80		
monspessulanus (candicans) Spike Broom, graceful	.20		.00	x.00		
semi-evergreen shrub up to 10 feet	.20		.50	1.35		
multiflorus, White Spanish Broom, to 5 and 8 feet,						
beautiful shrub				.45	1.00	3.50
multiflorus, White Gem, more compact, an improve-						
ment on preceding	.20		.40	1.25		
nigricans, late flowering to 4 feet, of graceful habit			.20	.50	1.25	4.00
praecox, fine, early, cream color	.35					
praecox alba, charming white	.20	.35				
procumbens	.35					
purgans, low compact shrub, yellow flowers	.3 5 .25		0 E	2.50		
purpureus, dwarf procumbent to 18 inches, purple flowers	.25		.85	2.30		

CYTISUS (continued)	pkt.	½6 oz.	1/4 oz.	oz.	1/4 lb.	lb.
ratisbonensis, described ahead						
10 seeds, .15; 50 seeds, .45						
scoparius, the well known Yellow Broom			.15	.15	.35	1.10 1.50
scoparius strictus, a valuable form with stiff, erect			.10	• 20	.40	1.00
branches			.15	.25	.60	2.00
scoparius, Garden Forms, charming garden plants de- serving widest attention, fine for the milder parts of						
the country, hardy with care in the North						
andreanus, bicolored flowers	.20		.50	1.50		
andreanus Hybrids, all shades from yellow to red Named Varieties:	.25		.65	2.00		
Donard Seedling, garnet and yellow	.20	.30				
Dorothy Walpole, velvety crimson	.20	.30				
Fulgens, fine new variety, orange suffused crimson	.20	.30				
Mayfly, orange shaded buff	.20	.30				
sessilifolius, fine, erect, shrub-like habit, yellow flowers			.20	.50		
supinus (capitatus), described ahead			.25	.75	1.75	6.50
DABOECIA polifolia	.50					
polifolia alba	.50					
DAMNACANTHUS indicus, dwarf evergreen with holly-like foliage and bright red berries	.35					
DAPHNE cneorum						
50 seeds, .45; 100 seeds, .75; 1000 seeds, 6.00						
laureola, clean			.35	1.00		
mezereum, clean from a garden strain with deep red				.75	1.80	6.00
flowers				.75	1.80	6.00
mezereum album, white25 seeds, .25; 100 seeds, .95						
mezereum alpinum			.40	1.25		
DASYLIRION longifolium			.20	.60		
DAVIDIA involucrata, Dove Tree, described ahead 10 seeds, 1.50; 100 seeds, 10.00						
vilmoriniana10 seeds, 1.50; 100 seeds, 10.00						
DENDROMECON rigidum, Bush Poppy		.20	.35	1.35		
DEUTZIA gracilis		,_,	.25	.75		
laxiflora schneideriana	.25		.20			
scabra				.25		
scabra crenatascabra crenata, double flowered			.25	.25 .75		
vilmorinae, fine floriferous, large-flowered Hybrid	.25	.60	1.50	.73		
DIERVILLA (also see Weigela) sessilifolia	.20	.35				
DIOSPYROS Kaki				.15	.25	.75
lotus				.15	.25	.75
virginiana, Northern strain				.10 .15	.20	.65 .85
DISANTHUS cercidifolius, Japanese shrub close to Hama-				.15	.25	.03
melis, fine Autumn color, claret red, suffused orange.	.20		.30	.60	2.00	
DORYCNIUM hirsutum, fine Rock-garden shrublet, white-						
hairy foliage, white flowers, one of the real dwarfs,						
hardy heresuffruticosum.	.25 .25					
EDGEWORTHIA papyrifera	.23			.35	1.00	
ELEAGNUS angustifolia				.15	.25	.75
argentea, native Silver-Berry, one of the hardiest native				.10	.23	
shrubs, with a silvery foliage and berries				.25	.60	2.00

ELEAGNUS (continued)	pkt.	½ oz.	1/4 02	oz.	1/4 lb.	lb.
longipes				.35	.95	3.25
to wind and exposure				.25	.75	2.50
ELSHOLTZIA stauntoni, clean		.15	.25	.65		
ENKIANTHUS campanulatus, domestic seed campanulatus albiflorus campanulatus palabini, with red flowers cernus rubens deflexus perulatus (japonicus) subsessilis	.25	.25 .20 .20 .25 .35	.45 .50 .50 .45	1.25 1.50 1.50 1.50		
EPIGAEA repens, Mayflower or Trailing Arbutus, New England seed	.25					
ERICA carnea, Spring Heath cinerea, clean cinerea alba cinerea, Knaphill variety. lusitanica mediterranea scoparia stricta vagans vagans alba vagans St. Keverne	.25 .30 .25 .25 .25 .25		.25	.25 .75	.70	2.50
vulgaris, see Calluna ERIOBOTRYA japonica, large fruited strain, broadleaved evergreen with highly ornamental foliage and edible fruit	.20		.25	.60	2.00	
ESCALLONIA floribunda EUONYMUS alatus americanus atropurpureus (Wahoo) bungeanus, described ahead bungeanus pendulus, Weeping Euonymus europaeus, the true strain from Europe grandiflorus latifolius, clean	.25		.20	.20 .20 .20 .35 .50 .25	.45 .45 .45 .75	1.50 1.50 1.50 2.50 2.00
oxyphylla patens planipes, described ahead radicans sachalinensis, conspicuous in foliage and fruit, clean sieboldiana yedoensis, fine ornamental Euonymus, most beautiful with its heavy crops of scarlet fruit, domestic seed	.20 .25		.60 .75	.35 .40 .30	.75 1.00 .85	2.50 3.50 2.00 5.00
EXOCHORDA grandiflora EUSCAPHIS japonica, handsome feathery foliage and bright				.20	.50	1.75
colored pod-like fruits and steel-blue seeds	.20		.25	.75	1.00	
EVODIA danielli			.20	.50	1.60	
FAGUS americana				.15	.40	1.25
FONTANESIA fortunei	.25					
FOTHERGILLA major, described ahead	.35 .35		.75 .75			
FRANKLINIA (Gordonia) alatamaha, described ahead 10 seeds, .65; 100 seeds, 5.50						

	pkt.	1/6 07.	1/4 oz.	07.	1/4 lb.	lb.
FRAXINUS americana	pitti	710 021	/4 04.	04.	.20	.65
excelsior				.25	.35	1.00
lanceolata					.20	.75
nigra (sambucifolia)				.15 .15	.35	1.25 1.25
oregonaornus				.15	.35	1.25
pennsylvanica				.15	.25	.95
quadrangulata				.15	.35	1.25
velutina				.20	.60	2.00
FREMONTIA californica	.20		.35	1.25		
mexicana	.30		.55	1.75		
GARDENIA florida	.20			.35	1.25	
GAULTHERIA antipoda	.35					
ovatifolia	.35					
procumbens			.20	.45	1.20	3.75
shallon			.20	.45	1.20	4.25
GAYLUSSACIA baccata			.20	.35	.80	2.85
GENISTA aetnensis			.15	.30	.90	3.00
alba, see Cytisus multiflorus			.13	.50	.50	3.00
anglica	.30					
candicans, see Cytisus monspessulanus						
germanica, to 2 feet, bears spines, one of the hardiest			.15	.50	1.20	
hispanica, recommended for dry banks, exposed to full	05					
sun, forming dense cushion-like bolsters, 2 feet high monosperma, to 4 feet, fine species for mild climate, with	.25					
white flowers			.20	.50		
pilosa, dwarf trailing	.30		.20			
radiata, dense shrub to 3 feet	.20		.25	.75		
sagittalis, a low spreading plant for rock gardens	.25					
tinctoria, shrub to 2 feet, late flowering, the best known						
and most widely planted				.30	.75	2.50
GINKGO biloba, domestic seed					.20	.50
GLEDITSIA japonica (horrida)				.25	.60	2.00
sinensis				.20	.50	1.75
triacanthos				.15	.25	.85
triacanthos inermis				.15	.30	1.00
GYMNOCLADUS dioica				.10	.25	.75
HALESIA diptera				.30	.75	2.25
monticola, the finest of native Silver-bells				.40	1.00	3.50
monticola rosea, with pink flowers10 seeds, .35 monticola vestita				E۵	1.50	
tetraptera				.50 .20	.35	1.00
HALIMODENDRON halodendron (argenteum)			20			2.00
, ,			.30	.85	2.00	
HAMAMELIS japonica			.15	.30	.90	3.00
mollis, seed from domestic garden specimens vernalis, seed from New England garden specimens	.20		.50	CE		
vernalis tomentella, preferable for its smaller size	.20		.25 .35	.65 1.00		
virginiana	.20		.00	.20	.50	1.75
HEDERA helix				.15	.35	1.25
HESPEROYUCCA whipplei				.45	1.20	4.00
HIBISCUS syriacus, all colors				.15 .25	.40 .60	1.25 2.00
HICORIA (Carya), large quantities priced on request				.20	,00	2.00
alba (tomentosa)						.20
cordiformis (amara)						.25
glabra (porcina)						.25
laciniosa						.20

	pkt.	1/16 oz.	1/4 07.	07.	1/4 lb.	lb.
HICORIA (continued)	post	710 0230	74 021	021	/4 200	
ovata (alba)ovata, Northern seed						.20 .35
pecan						.30
pecan (olivaeformis), hardy Northern						.40
HIPPOPHAE rhamnoides, clean				.30	.75	2.50
HOVENIA dulcis				.35	.75	2.50
HYDRANGEA arborescens			.15	.35		
petiolaris, domestic seed		.30	1.00	2.50	4 0 2	~ 00
imported seed				.55	1.35	5.00
HYPERICUM (fine seeds, sow on Sphagnum Moss) aureum.	25		.20	.55		
calycinum, evergreen ground-cover plantdensifiorum, fine hardy native shrub	.25 .25					
forresti, extremely floriferous, brilliant Fall coloring	.25					
kalmianum	.25	20	1.00			
patulum grandiflorumpatulum Henryi, this and the former are fine ground-	.20	.30	1.00			
cover plants with attractive foliage and large yellow						
flowers	.25	.45				
polyphyllum, prostrate sub-shrub, fine for rockeries prolificum, fine hardy shrub, most vigorous of the native	.25					
Hypericums	.25	.75				
IDESIA polycarpa	.20			.35	1.00	
ILEX aquifolium, domestic, French strain				.15	.35	1.25
imported, clean				.20	.40	1.50
cornuta, Chinese Holly, clean			.15	.45	1.00	3.50 1.50
domestic, berries				.25	.60	2.25
decidua				.25	.40	1.50
dubia macropoda, domesticglabra, New England seed, a hardy strain				.30 .25	.75 .55	2.00
glabra, Southern strain				.15	.35	1.25
integra				.20	.40	1.50
latifolia, cleanlaevigata				.45	1.00	2.50 2.75
monticola				.25	.55	2.00
nemotoi	.20		.3 5	.75		
opacaclean				.15	.35 .65	1.00 2.00
opaca, true Northern seed, vicinity of New York				.30	.75	2.50
opaca, from its Northern limit around Boston			.25	.75		
pedunculosa, cleanserrata (sieboldi)				.25	.60 .55	2.50 2.25
verticillata, New England seed				.15	.35	1.00
New England seed, clean				.45	1.00	3.50
vomitoria	.25			.20 .35	.40 1.00	1.50
ILLICIUM amisatum	.20			.30	.75	2.50
INDIGOFERA dosua	.20		.50	1.50		2.00
kirilowi	0		.20	.45	1.25	
ITAEA virginica				.30	.70	2.50
JUGLANS, large quantities priced on request						
californica hindsi						.25
cinereacinerea, New England seed						.20 .30
cinerea x sieboldiana10 seeds, .35; 100 seeds, 2.50						
cordiformis x mandshurica						
10 seeds, .35; 100 seeds, 2.50						

JUGLANS (continued)	pkt.	1/16 oz.	1/4 oz.	oz.	⅓ lb.	lb.
mandshurica						1.20 1.50
nigra New England or Prairie States seed						.18
regiaregia sinensissieboldianasieboldiana cordiformis						.45 .65 .75
KADSURA japonica	.20)		.50		
KALMIA angustifolia, clean		.20 .25	.25	1.50 .75 2.00	2.65	
KERRIA japonica				.35	1.25	4.50
KOELREUTERIA paniculata				.15	.35	1.25
KOLKWITZIA amabilis, clean	.20		.35	.85	2.50	8.00
LABURNUM alpinum, seed from Alps				.25	.60	2.00
vossi	.30					
vulgare				.25	.50	1.75
LAGERSTROEMIA indica				.20	.40	1.50
LAUROCERASUS caroliniana			.45	.15 .20 .20 1.25	.25 .50 .50	.75 1.50 1.50
LAURUS nobilis				.25	.60	2.00
LAVENDULA spica, Munstead variety	.25					
LEDUM glandulosumgroenlandicumlatifolium	.50 .50					
LEIOPHYLLUM buxifolium prostratum, fine dwarf ever-						
green shrub	.35					
LESPEDEZA bicolor alba				.15 .15 .15	.45 .40 .35 .50	1.35 1.25 1.25 1.75
LEUCOTHOE catesbaei, New England seed, clean		.15	.35	1.00	3.50	
Davisiae	.25	.20	.50	1 50		
racemosum				1.50		
LIGUSTRUM amurense		.20	.60	2.00	40	1 05
delavayanum	.20		.35	.15	.40	1.25
ibota japonicum lucidum nepalense				.15 .15 .25	.20 .25 .25	.65 .75 .75 1.50
sinense	.20		.35	.20	. 10	00
vulgare, clean				.15	.35	1.25
LIQUIDAMBAR styraciflua				.30	.85	3.00
LIRIODENDRON tulipifera, Southern seedtrue Northern				.15 .15	.25 .25	.60 .75
LOISELEURIA procumbens	.85					

		¹∕ ₁₆ oz.	1/4 oz.		1/4 lb.	lb.
LONICERA alpigena, described ahead	.20			.50	1.50	
caprifolium, the original old English "Honeysuckle," a fine climber with creamy flowers of great fragrance.	.20			.30	.75	2.50
henryi	.20			.30	. 13	2.50
japonica halliana	0			.50	1.25	4.50
maacki, beautiful in flower and fruit			.20	.40	1.25	
modesta, new species from China, abundance of pink						
flowers before foliage	.35		45	1 20	4.00	
morrowi, clean periclymenum, the original English "Woodbine"	.25		.45	1.20	4.00	
ruprechtiana, a fine new species	.20			.40	1.25	
tatarica				.40	1.20	3.50
tatarica, red flowered				.50	1.50	4.50
tatarica, yellow fruited				.65	2.00	1 85
xylosteum, clean				.25	.55	1.75
LYCIUM chinense			.25	.65	2.00	4 50
europaeum				.50	1.00	4.50
LYONIA ligustrina		.20	.50	1.50		
MAACKIA amurensis				.30	.75	2.50
MACLURA pomifera				.15	.35	1.25
MAGNOLIA acuminata				.20	.50	1.75
conspicua (denudata or Yulan)				.60	1.65	5.00
fraseri				.55 .25	1.35	4.50 2.00
glaucagrandiflora				.20	.40	1.50
hypoleuca (obovata)				.35	.85	2.75
kobus				.35	.85	2.75
liliflora (purpurea)				.55	1.35	4.50
macrophylla				.45	1.00 1.25	3.50 4.50
soulangeanasoulangeana lennei				.50 .65	2.00	6.00
tripetala				.20	.45	1.50
MAHONIA aquifolium, clean				.30	.75	2.50
aquifolium gracilis			.20	.45	1.25	
japonica (bealei)				.35	.75	3.25
nervosa	.45			.35	1.00	2.00
repens			.20	.35 .50	.95 1.50	3.00
clean			.20	.35	.75	2.50
clean seed				.60	1.75	5.25
baccata mandshurica, domestic dry pomes				.35	.75	2.50
coronaria, clean				.45	1.20	4.00
ioensis			.25	.75	2.50	
ioensis x pumila, the common eating apple crossed with	20		.35			
the hardy ioensisprunifolia rinki (ringo)	.20		.35 .25	.65	2.00	
robusta (baccata Hybrid), Cherry Crab, description on			.20		2.00	
page 11, dry pomes				.35	.95	3.00
robusta persicifolia, Peach Leaf Cherry Crab			.25	.65	2.00	
sargenti, dry pomes	00			.35	.95	3.00 4.50
sieboldi, cleansieboldi arborescens, dry berries	.20			.50 .30	1.45	2.25
theifera (described ahead), domestic dry pomes			.20	.35	.75	2.50
toringoides, Cutleaf Crab, in fruit (resembling Napoleon						
Cherries) one of the handsomest of Crab-Apples,						
dry pomes			.25	.65	2.00	4 50
zumi, clean	.20		20	.50	1.35	4.50
zumi calocarpa (sieboldi caloc.), dry pomes MELIA azedarach			.20	.50 .15	.35	1.25
azedarach umbraculiformis				.13	.50	1.75
japonica, with fragrant flowers of lilac-color				.25	.60	2.00

	pkt.	1/16 oz.	1/4 oz	. oz.	1/4 lb.	lb.
MENISPERMUM canadense				.35	.75	2.50
MERATIA praecox (Calycanthus praecox) fine garden shrub,						
Spring flowering, fragrant			.20	.30 .50	.90 1.65	2.00 4.50
praecox grandiflorus			.20			
MORUS albaalba moretti, large foliage			.20	.20 .50	.40 1.75	1.50
alba rosea, with rosy foliage	.20		.35	.50	1.13	
alba tatarica				.15	.40	1.50
nigra, for dry sandy soil				.35	1.00	
rubra				.45	1.05	3.50
MYRICA californica, California Bayberry, ornamental shrub						
with conspicuous fruits, for dry sterile sand	.20			.40	1.25	4.00
carolinensis				.15	.35 .40	1.25 1.50
cerifera						
MYRTUS communis, clean				.30	.75	2.50
NANDINA domestica, American seed				.15	.40	1.50
imported, clean				.30	.75	2.50
NEMOPANTHUS mucronatus				.25	.60	2.00
NERIUM oleander			.15	.35		
NYSSA aquatica				.15	.35	1.00
sylvatica, Southern origin				.15	.25	.85
sylvatica, true Northern seed				.15	.35	1.00
ONONIS fruticosa	.30					
natrix	.30					
ORIXA japonica				.25	.75	2.50
OSTRYA virginica				.25	.60	2.00
vulgaris				.30	.85	2.75
OXYDENDRON arboreum				.15	.40	1.25
arboreum, clean		.15	.25	.75		
PAEONIA, also see interesting Novelties in Part IV under Perennial Seeds.						
delavayi, dark crimson	.30		.95	2.50		
lutea, yellow	.30		.95	2.50		
suffruticosa (arborea or moutan) double flowered garden						0 #0
varieties suffruticosa, from garden hybrids			.30	.95	2.50	8.50
PALIURUS spina christi (aculeatus)			.50	1.50	.40	1.25
PASSIFLORA incarnata				.20	.40	1.20
PAULOWNIA tomentosa				.35	.85	2.75
PERIPLOCA graeca	.25					
PHELLODENDRON amurense				.35	.85	2.75
PHILADELPHUS coronarius, clean			.20	.35	1.00	
gordonianus	.35		.20	.33	1.00	
grandiflorus, clean			.20	.50	1.50	
incanus sargentianus, from China, late flowering Mock-						
Orange	.35					
lewisi	.35					
virginalis	.50	.75				
PHILLYREA angustifolia				.35	1.00	
latifolia				.35	1.00	
PHOTINIA (Heteromeles) arbutifolia				.20	.40	1.50
glabra, clean				.60	1.05	3.50
serrulata, domestic dry berriesvillosa, clean				.45	1.05	3.50 2.00
domestic fruit				.20 .20	.50	1.75
PHYSOCARPUS (Spiraea) opulifolius, clean				.40	.95	3.00
opulifolius luteus			.25	.75	.00	0.00
				.,,		

	mlet 1	/ 07	1/4 oz.	07	1/4 lb.	lb.
PIERIS floribunda, New England seed, clean	pkt.	∕16 UZ .	.15	.40	1.25	4.50
japonica, domestic clean		.25	.65	2.00	1.20	1100
imported clean		.15	.25	.60	1.75	5.00
mariana, fine hardy shrub, clean		.15	.25	.60		
PLATANUS occidentalis					.25	.75
orientalis					.25	.75
racemosa				.30	.75	2.50
POINCIANA gilliesi, see under Caesalpinia						
POLYGONUM auberti	.30					
baldshuanicum	.30					
		=0	1 50			
POTENTILLA fruticosa fruticosa parvifolia	.25 .25	.50	1.50			
mandshurica, with white flowers	.25					
tridentata	.25	.50	1.50			
PRINSEPIA chinensis, A shrub of extreme hardiness (hailing	0					
from Interior Manchuria) the first in early spring to						
unfold its bright green foliage, bearing edible fruit	.25			.90	2.00	
					00	
PRUNUS allegheniensis10 seeds, .25; 100 seeds, 1.50				.15	.25	.80
americana, clean				.20	.40	1.50
avium sylvestris				.20	.50	1.50
besseyi, Western Sandcherry, clean				.25	.60	2.25
capuli, Ecuador Cherry, quite hardy			.20	.50		
caroliniana, see Laurocerasus						
cerasifera, see Myrobolan, Part I						
demissa melanocarpa (virginiana melanocarpa), clean				.15	.35	1.25
ilicifolia				.20	.40	1.50
incisa, clean				.35	.95	3.00
japonica				.20	.50	1.75
lannesiana, clean				.15	.40	1.50
lyoni (integrifolia) Catalina Cherry				.15	.40	1.50
mandshurica, clean				.20	.40	1.50 1.00
maritima, New England seed				.25	.40	1.50
nigra, clean				.20	.40	1.50
pennsylvanica				.20	.50	1.75
salicina (triflora)				.20	.40	1.50
serotina				.15	.25	.70
clean				.20	.50	1.65
serrulata, clean				.20	.50	1.75
serrulata sachalinensis, clean				.30	.70	2.50
spinosa, clean				.15	.35	1.25
subhirtella, clean				.35	.85	2.75
subhirtella pendula, clean				.40	.95	3.25
tomentosa, clean				.45 .25	1.10	3. 5 0 2.00
triloba, cleanvirginiana, clean				.15	.45	1.50
yedoensis, clean				.35	.85	2.75
For other Prunus, see Part I under Cherry and Plum				.00		2
				20	45	1 50
PTELEA isophyllatrifoliata				.20	.45 .35	1.50 1.20
PTEROCARYA caucasica				.40	1.00	3.00
PUERARIA thunbergiana				.20	.50	1.50
PYRACANTHA coccinea				.15	.35	1.25
coccinea lalandi, hardy strain, here collected				.20	.50	1.75
formosana			.35	1.00		
PYRUS betulaefolius, an ornamental pear with attractive						
foliage and white flowers, a small tree of graceful habit			.20	.50	1.50	5.00
For other Pyrus see Part I under Pear					~	

	pkt.	1/6 OZ.	1/4 oz.	oz.	1/4 lb.	lb.
QUERCUS, all Oak seed should be ordered as early as possible in the fall. Quercus rubra and other 'domestic varieties are being stored for spring planting. Ask for quantity prices.	•	710	,,		,,	
alba						.20 .35 1.00
bicolor						.20
chrysolepis						.45
Northern only						.25 .35 .35
imbricaria						.60 .45 .25
lyrata						.35 .20 .25
nigra						.25 .30 .20
robur						.35 .20 .25
rubra ambigua (borealis) large seeded Northern Red Oak						.25 .30 .25
velutina						.25
RHAMNUS alaternuscaroliniana, clean				.25	.60 .40	2.00 1.35
cathartica, cleandahurica. frangula, cleanpurshiana				.20 .50 .20	.55 1.35 .50 .45	1.75 4.50 1.50 1.50
RHEDERODENDRON macrocarpum			.25	.75		
each, .10; 10 seeds, .85						
RHODORA, canadensis (see Rhododendron canadensis)						
RHODODENDRON ambiguum, yellow	.50 .50 .35	1.00				
augustini	.35	.15	.40	1.25		
campanulatumcampylocarpumcanadensis (Rhodera can.)	.45 .50 .20	1.50 1.00 .45	1.00	3.00		
carolinianum		.15	.35	1.00		

.15

.40 1.50

	pkt	1/10 07	1/4 oz.	oz. 1/4]	b	lb.
RHODODENDRON (continued)	Dir.c.				ıD.	10.
carolinianum, New England seed	20	.20	.50	1.50		
carolinianum album, New England seed	.20	.30	.60 .35	2.00 1.00		
catawbiense compactum		.13	.40	1.00		
caucasicum coriaceum	.35	.20	2.00			
charitostreptum	.50		2.00			
ciliatum	.60					
cinnabarinum	.50	1.00				
dahuricum	.15	.35	.85	3.00		
dalhousiae	.50	1.00				
davidi subseries, new Wilson species, strong grower, light						
pink, carmine blotch	.50					
decorum	.50					
diaprepes	.50					
falconeri	.50	1.00				
ferrugineum	.15	.20	.50	1.50		
fortunei, see under Hybrids	ra.					
fulgens	.50 .50	1 00				
glaucumgriffithianum (aucklandi)	.50	1.00				
hirsutum	.20	.35	.80	2.25		
lepidotum	.50	1.00	.50	2,20		
maximum		.15	.30	1.00		
maximum, seed from a number of large flowered garden		• • • • • • • • • • • • • • • • • • • •				
specimens		.20	.65			
maximum purpureum	.50					
metternichi, see Hybrids						
micranthum	.65					
minus (punctatum), New England seed	.25	.50	1.50			
mucronulatum	.15	.35	.50	2.50		
ponticum, for understock, domestic seed		.25	.60	1.75		
punctatum, see minus	=0					
racemosum	.50					
racemosum oleifolium1/32 oz., 1.35	.75 .50	1.25				
smirnovithomsoni	.50	1.20				
vaccinoides	.50					
yunnanense	.50					
,						
RHODODENDRON HYBRIDS						
carolinianum x racemosum, charming new race, a						
dwarf Carolinianum—bright pink flowers before						
Carolinianum	.50					
catawbiense Hybrids, New England seed		.25	.75	2.50		
catawbiense x metternichi	.50		0.00	0.00		
fortunei hybrids	.35	.75	2.00	6.00		
Named Hybrids:	.50					
Boule de Neige, white	.50					
Everestianum, lilac	.35					
Parson's Gloriosum, rose	.50					
Purpureum Elegans, purple	.50					
ponticum hybrids	.50					
•						
RHODODENDRON, new choice Hybrids, seed collected from						
(F2) generation.						
Dr. Stocker x campylocarpum	1.50					
Griffithianum x auriculatum	1.50					
Griffithianum x hardy hybrid	1.50					
Mrs. John Kelk x auriculatum	1.50					
DI COMUNICALI A L					40	

RHODOTYPOS kerriodes.....

	pkt.	1/16 oz. 1/4 oz.		1/4 lb.	lb.
RHUS canadensis			.15		.75
canadensis, clean			.20	.45	1.55
copallina			.15	.30	.80 3.50
cotinus			.40	1.00	3.50 .60
integrifolia	.20		.40	1.00	3.50
laurina	.20		.40	1.00	3.50
ovata	.20		.50	1.20	4.00
trilobata			.20	.45	1.50
typhina				.25	.75
RIBES aureum, clean		.25	.85	2.50	
fasciculatum, described ahead		.30	.90		
grossularia		.25	.75		
sanguineum, clean		.35	1.00		
ROBINIA pseudoacacia, domestic				.25	.75
seed from Idaho			.15	.35	1.00
pseudoacacia bessoniana			.20	.40	1.50
pseudoacacia inermis, Thornless Locust			.25	.60	2.00
pseudoacacia pyramidalis, Shipmast Locust			.20	.50	1.75
viscosa, pink flowering Locust			.30	.85	2.75
ROMNEYA coulteri, Matilija Poppy, striking half-shrub					
with glaucous foliage and large white Poppy flowers	.25	.65	2.10	4 ==	4 40
ROSA acicularis, a native rose from the extreme North		.15	.20	.45	1.50
acicularis nipponicabanksiae (banksiana)	.25	.20	.50	1.50	
blanda	.23		.15	.35	1.25
blanda, clean			.50	1.20	4.00
californica		.15	.35	1.25	1,00
canina, clean			.15	.25	.75
cathayensis	.25				
dahurica			.25	.60	2.00
ecae (primula) described ahead					
10 seeds, .20; 100 seeds, 1.50					
gentiliana, rambler, with ornamental foliage, white frag-	.35				
rant flowers in clusters	.45				
helenae	.15	.35			
hugonis	.20	.00	.75	2.50	
humilis	.20		.15	.45	1.35
laxa (froebeli), a hardy rose for stock			.25	.55	1.75
lucida (virginiana)			.15	.30	.95
lucida, clean			.60	1.35	5.00
lucida (virginiana) alba, white flowered Meadow Rose	.35				
maximowicziana	~=		.40	.95	
microcarpa	.25				
moyesi, vigorous species, with deep red flowers	.30	.75			
multiflora, domestic hips			.15	.25	.75
multiflora, thornless, hips			.15	.35	1.00
multiflora nana, Baby Rose, starts flowering three				.25	.65
months after sowing100 hips, .50; 1000 hips, 3.25					
nitida			.15	.45	1.50
nutkana	.45			0	1.00
palustris			.15	.40	1.25
pisocarpa			.20	.50	
rubiginosa			.20	.50	1.00
rubiginosa, clean			.20	.60	2.00
rubrifolia, clean			.30	.70	2.25
rugosa, clean domestic seed			.20	.60	2.00
rugosa alba, hipsrugosa hybrid, "Snow Midget" dwarf, double white,			.25	.60	2.00
ever-blooming	.15	.25			
Over-providing	.13	.25			

ROSA (continued) rugosa hybrid, double red	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
sericea	.25		.50	.00		
setigera, hips				.15	.35	1.25
clean				.30	.70	2.50
setigera tomentosa				.20	.50	
spinosissima, an old time garden jewel of extreme				25	co	9.00
hardinessspinosissima altaica			.30	.25 1.25	.60	2.00
suffulta (pratincola) a native rose from the extreme North			.15	.30	.80	
villosa (pomifera) very large apple-like fruits, fine for						
preserves, clean				.20	.40	1.50
wichuriana, clean				.15	.40	1.50
RUSCUS aculeatus				.20	.40	1.50
racemosus				.29	.50	1.75
SAMBUCUS canadensis				.15	.35	1.25
coerulea			.15	.30	.50	2.50
nigra, clean				.20	.40	1.50
racemosa, clean				.25	.75	2.50
SAPINDUS mukorossi				.25	.60	2.00
SAPIUM sebiferum, Chinese Tallow-Tree, planted for its						
brilliant fall coloring				.25	.60	
SASSAFRAS variifolium				.20	.35	1.00
SCHINUS molle				.15	.35	1.25
SCHIZOPHRAGMA hydrangeoides				.35	1.20	4.50
SHEPHERDIA argentea, clean				.25	.70	2.50
canadensis				.30	.95	3.50
SKIMMIA japonica				.40	.85	2.75
SMILAX rotundifolia, described ahead				.20	.40	1.25
SOPHORA japonica				.25	.55	1.85
japonica pendula				.30	.75	2.50
secundiflora, fine Mexican S. violet flowered			.25	.60	2.00	
vicifolia, graceful shrub, hardy north			.20	.50	1.50	
SORBARIA aitchisoni			.25	.75		
lindleyana			.25	.75		
sorbifolia		.15	.35	1.25		
SORBUS americana				.20	.45	1.50
aria, clean				.30	.75	2.50
aucupariaclean				.15	.45 1.05	1.25 6.00
dumosa (scopulina) Rocky Mountain Mountain-Ash				.25	.60	2.00
scandica, clean			.15	.35	1.00	
sitchensis	.20					
SPARTIUM junceum				.15	.35	1.25
SPIRAEA densiflora	.25					
douglasi				.30	.75	2.50
tomentosa, native shrub with deep rose flowers, good						
"filler" plant in landscape work				.30	.80	2.50
trichocarpa, a fine hardy garden shrub, easily raised from seed, domestic seed			.25	.75		
STACHYURUS praecox, a handsome early flowering shrub.			.25	.75		
STAPHYLEA bumalda				.30	.75	2.50
pinnata				.20	.40	1.50
trifolia				.20	.50	1.75
STEPHANANDRA chinensis, new Chinese species, graceful						
spreading shrub with finely cut foliage and creamy-	.25					
white flowers in slender clusters, in June	.23					

						===
STEWARTIA monadelpha	pkt.	1/16 oz.	⅓ oz. .25	oz. .75	⅓ lb. 2.50	lb.
pentagyna			,	.40	.90	3.00
pseudocamellia			.20	.65	2.00	
serrata			.25	.75	2.50	
STRANVESIA davidiana	.20			.50	1.50	
STYRAX americana				.20	.45	1.50
japonica				.20	.45	1.50
obassiaofficinalis			.15	.25 .45	.60 1.25	2.00
SYMPHORICARPOS chenaulti			.10	.50	1.20	
racemosus, clean				.40	1.10	3.50
vulgaris				.15	.35	1.10
SYMPLOCOS paniculata (crataegoides), imported, clean				.30	.75	2.50
SYRINGA amurensis, clean			.25	.75		2.00
dilatata, clean			.20	.50	1.50	
henryi lutece, described ahead	.20		.35	1.00	3.00	
japonica			.25	.85	2.50	
josikaea, true stock	.25		.35	1.00		
josikaea pallidajosikaea rosea, described ahead	.25 .20		.35 .35	1.00	3.00	
julianae	.30		.00	1.00	3.00	
komarowi	.30					
microphylla, a much favored Chinese species, small shrub to 5 feet, flowers pale lilac in June and again						
in late Summer, clean			.25	.65	2.25	7.00
oblata, clean			.20	.50	1.50	5.00
shrub with lilac-mauve flowers, clean			.20	.60	1.65	6.00
pinetorum			.30	1.00	1.00	0.00
prestoniae, hardy hybrid race, villosa x reflexa, developed						
in Canada	.35					
pubescensreflexa	25		.30	1.00		,
tomentella	.25 .20		.75 .50			
velutina	.20		.50			
villosa				.25	.70	2.25
vulgaris, clean				.30	.85	2.75
white white double flowered			.30	.20 1.00	.50	1.75
red, double flowered			.30	1.00		
Collected from:				2.00		
Charles X, red	.25		.50			
Horstenstein, dark red	.25		.50			
Ludwig Spaeth, dark red	.25 .25		.50 .50			
Marie Legraye, white	.25		.50			
French Hybrids, saved from choice domestic col-						
lection of named varieties, clean		.20	.30	1.00		
yunnanensis	.20	.35				
TAMARIX gallica	.35			.30	.75	2.50
TERNSTROEMIA japonica				.35	1.25	
THEA sinensis				.15	.40	1.25
TILIA americana (glabra), Southern seed				.15 .15	.30 .45	1.00 1.20
argentea, see tomentosa				.10	. 10	1.20
cordata (parvifolia)				.25	.60	2.00
platyphyllos				.15		1.25
tomentosavulgaris				.25		2.00
· ····································				.20	.50	1.50

	pkt.	1/6 oz. 1/4 oz.			lb.
TRIPTERIGIUM regeli			.40	1.50	
ULEX europaeuseuropaeus nanus			.20 .30	.60 .90	2.00 3.00
ULMUS americana					.60
campestrishollandica, described ahead			.30 .25	.75 .60	2.50 1.85
parvifolia		.25	.75	.00	2.00
pumila, domestic			.25	.60	2.00
UMBELLULARIA californica, California Laurel, one of the finest of American Evergreens, fairly hardy			.25	.75	2.50
VACCINIUM atrococcum		.20	.50	1.50	
corymbosum, from large fruited, cultivated varieties, such as Pioneer, Rubel, Cabot. These are planted for			.35	.90	3.00
their delicious fruit			.50	1.50	5.00 1.50
macrocarponovatum	.45		.20	,40	1.50
parvifolium, Red fruited Blueberry of Red Wood forests.	.45		0.5	00	2.00
pennsylvanicumstamineum	.25		.35	.90	3.00
vacillans	0		.35	.90	3.00
vitis idaea, fine rock garden and ground cover plant on poor soil, with red berries	.20	.40	1.30		
VIBURNUM acerifolium	0		.15	.30	1.00
alnifolium			.25	.55	1.75
americanum			.25	.55	1.75
betulifolium, described ahead	.35		.40	1.00	3.50
carlesi, clean	.55		.40	1.10	3.50
cassinoides			.15	.35	1.25 .75
dentatumdilatatum, domestic			.15	.20	1.25
from Japan, clean seed			.20	.40	1.50
furcatum, Chinese Hobble-Bush		.20	.60 .35	.75	2.50
hupehense	.30		.55		2.00
ichangense from China, with handsome foliage, white			1.00		
flowers and red fruitslantana	.20	.35	1.00	.40	1.50
lentago			.15	.35	1.25
molle			.25	.60 .40	2.00 1.50
nudumodoratissimum, clean			.25	.60	2.00
opulus			.20	.55	1.75
prunifolium			.20 .25	.40 .65	1.50 2.50
sargenti, domestic			.25	.60	2.00
setigerum, from China, upright shrub of neat habit with					
large glossy leaves and ornamental bright orange fruits setigerum aurantiacum	.20 .25	.30	1.00		
sieboldi, clean	.20		.20	.40	1.50
tinus			.15	.40	1.50
tomentosum, cleanwrighti			.30	.70 .90	2.50 3.00
wrighti hessei	.25				
VITEX agnus castus			.15	.40	1.50
white			.25	.60	2.00
macrophyllanegundo incisa	.15 .15		.30	.75 .60	2.50
negundo incisa	.10		.23	•00	2.00

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
VITIS aestivalis				.25	.60	2.00
amurensis				.35	.90	3.00
coignetiae				.25	.55	1.75
cordifolia				.20	.35	1.75
davidi, handsome Grape from China, branches armed						
with soft prickles, large foliage, brilliant red fall						
coloring	.25		.35			
labrusca				.25	.65	2.25
labrusca, Concord variety, delicious table fruit				.35	1.00	3.25
rotundifolia			~ ~	.30	.75	2.50
titanea, with large lustrous leaves	.20		.35	1.25		
vulpina (odoratissima or riparia), described ahead				.35	.75	2.50
WEIGELA grandiflora	.20		.25	.75		
praecox, fine early	.25	.50	•			
rosea (florida)	.25		.40			
Eva Rathke	.25		.40			
venusta	.25					
WISTERIA frutescens				.15	.40	1.50
frutescens magnifica				.35	1.10	3.50
multijuga, blue				.30	.75	2.50
white				.35	.90	3.00
sinensis, blue, domestic, collected from garden plants				.20	.50	1.50
blue, imported				.15	.45	1.25
white				.25	.60	2.00
XANTHOCERAS sorbifolia	.20			.75		
XOLISMA, see Lyonia						
YUCCA baccata			.25	.75		
brevifolia			.25	.75		
filamentosa				.25	.75	2.50
glauca (angustifolia)				.25	.75	2.50
gloriosa				.25	.95	3.00
mohavensis	.20		.35	1.00		
whipplei, see Hesperoyucca						
ZENOBIA pulverulenta, clean	.25	.50	1.50			
ZIZYPHUS jujuba				.20	.50	1.75

IV

SEEDS OF HARDY HERBACEOUS PERENNIALS

Packets.—Generous packets are available of all items listed at 15 cents each unless priced otherwise.

	Trade	е				
ACHILLEA eupatorium (filipendula) Parker's Variety, fine showy species with large bronze yellow flower-heads,	pkt.	pkt.	1/16 oz .	1/8 oz.	1/4 oz.	oz.
2½ feet			\$.15	\$.30	\$.55	\$2.00
ACONITUM Fischeri			.15	.30		2.00
Blue			.15	.25	.40 .75	1.25 2.50
wilsoni			.25	.50	.90	_,_,
wilsoni, Barker's variety		.20	,,,,	20	ميم مع	0.00
ADONIS vernalis, Spring Adonis, bright yellow			.20	.30	.20	2.00
italica Feltham Pride, new variety, more dwarf			.25	.45	.80	
italica Lissadel, clear blueitalica Opal, light blue				.15	.25	
myosotidiflora		.35	.65	1.20	2.00	6.50

Pikt Moz.		Trade					
ANEMONE farreri, pulsatilla type with dark copper red flowers. patens nuttalli native Pasque Flower. pulsatilla, Pasque Flower, liac (type). Red				1/16 oz.	1/8 02.	1/4 oz.	oz.
patens nuttall; native Pasque Flower		ed					
Delisatilla Pasque Flower, lila (type) 15 25 45 1.50 Red 2.5 40 70 2.25 45 1.50			.25		35	1 00	
Red	•						1.50
White							
AQUILEGIA—Columbines alpina							
alpina	wnite	• •		.20	.50	.50	2.00
california Hybrids, golden yellow with red spur	AQUILEGIA—Columbines						_ ~
canadensis, dwarf, compact variety, 2 feet							
eanadensis Hybrids, shades of rose with yellow	california Hybrids, golden yellow with red spur	• •					
Chrysantha varieties, long-spurred. These are easier to grow and more drought resistant than the coerulea varieties. grandiffora alba, white						.45	1.50
grow and more drought resistant than the coerulea varieties. grandiflora alba, white			.15	.25	.45		
varieties. grandiflora alba, white							
grandiflora alba, white		ea					
Iong-spurred chrome yellow (type), much like Iongissima.							
longissima				.20	.35	.60	
Commatis							
Clematiflora, Clematis Flowered Spurless Columbine							
Courulea varieties, long-spurred. These represent the finest garden varieties of Columbine, developed so far. Plants, however, are exacting as to conditions and require care. All do well in sheltered spots in moist but well drained and prepared ground. Long-spurred Azure Fairy, pale blue and white							1.50
Coerulea varieties, long-spurred. These represent the finest garden varieties of Columbine, developed so far. Plants, however, are exacting as to conditions and require care. All do well in sheltered spots in moist but well drained and prepared ground. Long-spurred Azure Fairy, pale blue and white	clematiflora, Clematis Flowered Spurrless Columbine.	• •	.25	.45	1.20	2.00	
finest garden varieties of Columbine, developed so far. Plants, however, are exacting as to conditions and require care. All do well in sheltered spots in moist but well drained and prepared ground. Long-spurred Azure Fairy, pale blue and white	QUILEGIA coerulea						
Plants, however, are exacting as to conditions and require care. All do well in sheltered spots in moist but well drained and prepared ground. Long-spurred Azure Fairy, pale blue and white	coerulea varieties, long-spurred. These represent t	he					
require care. All do well in sheltered spots in moist but well drained and prepared ground. Long-spurred Azure Fairy, pale blue and white	finest garden varieties of Columbine, developed so fa	ır.					
but well drained and prepared ground. Long-spurred Azure Fairy, pale blue and white	Plants, however, are exacting as to conditions a	n d					
but well drained and prepared ground. Long-spurred Azure Fairy, pale blue and white							
Long-spurred Azure Fairy, pale blue and white .50 .30 " " Blue Shades, an excellent strain, large flowers, plants 3-4 feet .25 .45 .80 2.75 " " Coerulea, type, blue .15 .25 .45 1.50 " " Copper Queen, copper red .15 .30 .50 .90 3.00 " " Crimson Star, bright crimson, white corolla .20 .45 .80 1.45 4.50 " " Lemon Queen (citrina) .20 .35 .55 1.00 3.50 " " Mrs. M. Nicholls, blue, improved coerulea .20 .35 .60 1.10 4.00 " " Orange and Scarlet Shades .15 .30 .50 .90 3.00 " " Pink Shades .15 .30 .50 .90 3.00 " " Rose Queen, soft rose .15 .30 .50 .90 3.00 " " Silver Queen, white .15 .25 .45 1.50 " " Snow Queen (candidissima) finest white, fragrant .15 .30 .50 .90 3.00 " " Hybrids in color mixture: Dobbie's Imperial Hybrids .20 .35 .60 2.00 Mrs. Scott Elliott's Strain .30 .50 .90 3.00 Waller-Franklin Special, a fine Californian Strain with colors possessed by no other strain .35 .65 1.20 3.50 flabellata, fine, dwarf, rock garden variety, 10 inches high with blue flowers and large attractive foliage forming a cushion of green, very hardy and drought resistant .20 .35 .65 1.20 3.50 glandulosa, Copenhagen variety .25 .35 helenae grandiflora, deep blue, 1½ feet .20 .35 .65 1.20 4.00 longissima hybrids, new race, flowers in all colors with longissima spurs .25 seeds, .25; 100 seeds, .75 longissima spurs .30 vulgaris varieties .30 .30 vulgaris vari	but well drained and prepared ground.						
## Blue Shades, an excellent strain, large flowers, plants 3-4 feet		50	.30				
large flowers, plants 3-4 feet							
" "Coerulea, type, blue .15 .25 .45 1.5 " "Copper Queen, copper red .15 .30 .50 .90 3.06 " "Crimson Star, bright crimson, white corolla .20 .45 .80 1.45 4.56 " "Lemon Queen (citrina) .20 .35 .55 1.00 3.56 " "Mrs. M. Nicholls, blue, improved coerulea .20 .35 .60 1.10 4.06 " "Orange and Scarlet Shades .15 .30 .50 .90 3.06 " "Pink Shades .15 .30 .50 .90 3.06 " "Rose Queen, soft rose .15 .30 .50 .90 3.06 " "Sliver Queen, white .15 .30 .50 .90 3.06 " "Slow Queen (candidissima) finest white, fragrant .15 .30 .50 .90 3.06 " "Hybrids in color mixture: .20 .35 .60 2.0 Mrs. Scott Elliott's Strain .30 .50 .90 3.06 Waller-Franklin Special, a fine Californian Strain with colors possessed by no other strain .35 .65				.25	.45	.80	2.75
## Copper Queen, copper red				.15	.25	.45	1.50
" "Lemon Queen (citrina)			.15	.30	.50	.90	3.00
corolla							
## Hybrids in color mixture: Dobbie's Imperial Hybrids. Strain with colors possessed by no other strain. Strain with colors with longissima hybrids, new race, flowers in all colors with longissima spurs. Strain with color	,		.20	.45	.80	1.45	4.50
## Mrs. M. Nicholls, blue, improved coerulea			.20	.35	.55	1.00	3.50
coerulea							
""" Orange and Scarlet Shades .15 .30 .50 .90 3.06 """ Rose Queen, soft rose .15 .30 .50 .90 3.06 """ Silver Queen, white .15 .30 .50 .90 3.06 """ Snow Queen (candidissima) finest white, fragrant .15 .25 .45 1.56 """ Hybrids in color mixture: .20 .35 .60 2.06 Mrs. Scott Elliott's Strain .20 .35 .60 2.06 Mrs. Scott Elliott's Strain .30 .50 .90 3.06 Waller-Franklin Special, a fine Californian Strain with colors possessed by no other strain. .35 .65 1.20 3.56 flabellata, fine, dwarf, rock garden variety, 10 inches high with blue flowers and large attractive foliage forming a cushion of green, very hardy and drought resistant. .20 .30 .55 1.00 glandulosa, Copenhagen variety .25 .35 .65 1.20 4.06 glandulosa, graceful species, yellow flowered with extremely long spurs. New England seed. .20 .35 .65 1.20 4.06 longissima hybrids, new race, flowers in all colors with longissima spurs. .			.20	.35	.60	1.10	4.00
## Pink Shades ## Rose Queen, soft rose ## 15			.15	.30	.50	.90	3.00
## Rose Queen, soft rose			.15	.30	.50	.90	3.00
" Silver Queen, white					.50	.90	3.00
"Snow Queen (candidissima) finest white, fragrant					.25	.45	1.50
white, fragrant							
" Hybrids in color mixture: Dobbie's Imperial Hybrids			.15	.30	.50	.90	3.00
Dobbie's Imperial Hybrids							
Mrs. Scott Elliott's Strain Waller-Franklin Special, a fine Californian Strain with colors possessed by no other strain. Strain with colors with blue flowers and large attractive foliage forming a cushion of green, very hardy and drought resistant. Strain with colors with with characteristics and large attractive foliage forming a cushion of green, very hardy and drought resistant. Strain with colors possessed by no other strain. Strain with colors with blue flowers and large attractive foliage forming a cushion of green, very hardy and drought resistant. Strain with colors with a cushion of green, very hardy and drought resistant. Strain with colors with a cushion of green, very hardy and drought resistant. Strain with colors with a cushion of green, very hardy and drought resistant. Strain with colors with a cushion of green, very hardy and drought resistant. Strain with colors with a cushion of green, very hardy and drought resistant. Strain with colors with a cushion of green, very hardy and drought resistant. Strain with colors with a cushion of green, very hardy and drought resistant. Strain with colors with a cushion of green, very hardy and drought resistant. Strain with colors with a cushion of green, very hardy and drought resistant. Strain with colors with a cushion of green, very hardy and drought resistant. Strain with colors with a cushion of green, very hardy and drought resistant. Strain w				.20	.35	.60	2.00
Waller-Franklin Special, a fine Californian Strain with colors possessed by no other strain. flabellata, fine, dwarf, rock garden variety, 10 inches high with blue flowers and large attractive foliage forming a cushion of green, very hardy and drought resistant. glandulosa, Copenhagen variety				.30	.50	.90	3.00
Strain with colors possessed by no other strain. flabellata, fine, dwarf, rock garden variety, 10 inches high with blue flowers and large attractive foliage forming a cushion of green, very hardy and drought resistant. glandulosa, Copenhagen variety							
flabellata, fine, dwarf, rock garden variety, 10 inches high with blue flowers and large attractive foliage forming a cushion of green, very hardy and drought resistant. glandulosa, Copenhagen variety				.35	.65	1.20	3.50
with blue flowers and large attractive foliage forming a cushion of green, very hardy and drought resistant. glandulosa, Copenhagen variety							
a cushion of green, very hardy and drought resistant. glandulosa, Copenhagen variety							
glandulosa, Copenhagen variety			.20	.30	.55	1.00	
helenae grandiflora, deep blue, 1½ feet							
longissima, graceful species, yellow flowered with extremely long spurs. New England seed. 25 seeds, .25; 100 seeds, .75 longissima hybrids, new race, flowers in all colors with longissima spurs					.65	1.20	4.0
tremely long spurs. New England seed. 25 seeds, .25; 100 seeds, .75 longissima hybrids, new race, flowers in all colors with longissima spurs			.20		.00	1.20	
25 seeds, .25; 100 seeds, .75 longissima hybrids, new race, flowers in all colors with longissima spurs							
longissima hybrids, new race, flowers in all colors with longissima spurs		75					
longissima spurs							
vulgaris varieties			30				
		• •	.50				
Colonial Strain, the Columbine of grandinothers	_	·'o					
garden, seed offered is grown by us from an old Euro-							
pean strain of great vigor, hardiness and beauty, plants							
to 4 feet high, color combinations are: Blue, Blue-black,							
Lilac, Pink, Rose and White. Seed is easy to germi-							
Luac, Fink, Rose and White. Seed is easy to germi-		п-					

	Trade					
AQUILEGIA (continued)	pkt.	pkt.	1/16 oz.	1/8 oz.	1/4 oz.	oz.
nate and plants adapt themselves far better than the						
long-spurred Columbines to a variety of conditions and many growers and garden enthusiasts who have						
despaired growing Columbines because of their failure						
to make the long-spurred succeed will come back to						
Columbines when they find out how easy the vulgaris						
varieties are. All colors			.15	.25	.45	1.50
Erecta Edelweiss, dwarf, compact variety, from		.15	.20	.30	50	1.80
Japan, with white flowers Little Red Riding Hood, double, pure white under		.13	.20	.30	.50	1.00
umbrella-like old rose calyx		.20	.45	.85	1.60	6.00
nivea grandiflora, fine snow white, robust variety			.15	.20	.35	1.00
Double flowered, mixed colors				.15	.25	.60
CAMPANULA persicifolia (2½ feet) alba, white			.25		.40	1.25
coerulea, blue			.25 .25	.45	.35 .80	1.00
Telham Beauty, soft lavender, a fine variety	.20		.30	.55	1.00	
rotundifolia, Scotch Blue Bells		.20	.35	.65		
CARYOPTERIS incana (mastacanthus) Blue Beard, blue				.20	.35	1.00
pink		.25			.65	
white				.20	.35	1.00
CASSIA marilandica, Indian Senna			.15	.20	.35	1.00
CHEIRANTHUS allioni					.10 .10	.20
CHRYSANTHEMUM leucanthemum grandiflorum,					.10	.50
Spring Marguerite				.15	.20	.50
maximum, Conqueror, Early giant Flowering, 21/2 to 3 feet	t			.10	.20	.50
Diener's Giant Double, white, 2½ feet		.20	.35	.65	1.20	3.50
Elder Daisy, very early				.10	.20	.50
3 feet				.25	.45	
Shasta Daisy Alaska, 2½ feet				.15	.25	.85
" Avalanche, fine dwarf variety, 2 feet,						
large white flowers and stout stems.				.20	.35	1.00
" Chiffon, 18 inches, pure white flowers to 3 inches across with double row						
of fringed and curled petals			.15	.20	.35	1.25
" "King Edward VII, improved			.15	.20	.35	1.00
Vanderbilt Hybrids, vigorous large flowered strain						
to 4 feet			.15	.20	.35	1.00
CLEMATIS heracleaefolia (davidiana) blue flowers			.15 .15	.25	.45	1.50
recta, to 3 feet			,13	.30 .20	.95 .35	3.00 1.00
recta mandshurica, taller to 6 feet			.15	.25	.45	1.50
COLCHICUM autumnale					.15	.50
CORYDALIS cheilanthifolia, perennial Fernleaf Corydalis						
with bright yellow flowers. 100 seeds, .20; 1000 seeds, .50						
CYCLAMEN europaeum roseum100 seeds, .50						
neapolitanum (hederaefolium)100 seeds, .50						
DELPHINIUM, Belladonna Type						
Belladonna light blue			4 12	.20	.40	1.25
Bellamosum Improved, dark blue			.15 .15	.25 .25	.45 .45	1.50 1.50
Blue Grotto, deep blue with cream center, one of our			.,0	.20	.40	1.50
most beautiful Delphiniums			.30	.50	.90	3.00
Lamartine, gentian bluehito		.20	.35	.60	1.10	4.00
chinense grandiflorum album, white grandiflorum azureum, blue				.15	.25	.75
Azure Fairy, azure blue, dwarf, 20 inches				.15 .20	.25 .35	.75 1.00
Cambridge Blue, light blue			.20	.35		2.00
Lilacina, lilac						1.00

	Trade				
DELPHINIUM (continued)	pkt. pkt.	1/16 OZ.	1/8 oz.	1/4 oz.	OZ.
elatum, Hybrid Strains:					
Blackmore & Langdon, all colors		.20	.35	.65	2.00
Dwarf Continental Hybrids, a fine strain developed					
in years of endeavor for clean colors, mildew and					40
wind-resistance by a noted specialist in Contin-					
ental Europe. We have made a dwarf selection					
as we feel the want for a low race suitable for drifts					
in perennial borders before tall Delphiniums and					
for cutting. Plants are 2-3 feet high. Domestic					
seed	.15	.30	.50	.93	3.00
Gold Medal Hybridsper lb., 7.50			.20	.35	1.20
Wrexham Hollyhock strain, all colors	.25	.40	.75	1.40	5.00
Art Shades	.25	.45	.85	1.60	5.75
Deep Blue Shades	.25	.45	.85	1.60	5.75
Light Blue Shades	.25	.45	.85	1.60	5.75
Mid-Blue Shades	.25	.45	.85	1.60	5.75
	.20	.40	.00	1.00	0.10
DELPHINIUM New Giant Pacific Hybrids, a remarkable					
new strain of Delphiniums with tall wiry stems and					
large closely set flowers.					
Blue Shades	.50	.90	1.75	3.50	
Light Shades	.50	.90	1.75	3.50	
Pastel Shades		.90	1.75	3.50	
Violet Shades	.50	.90	1.75	3.50	
Double White, the best white strain available	.55	1.00	2.00	3.95	
Mixed Shades	.45	.80	1.50	3.00	
DELPHINIUM species					
cardinale, Scarlet Larkspur		.20	.35	.60	2.00
cashmerianum, to 1½ feet, dark blue with Monk's-hood		.20	.35	.00	2.00
like flowers, most beautiful species			25	1.00	
like flowers, most beautiful species		.20	.35	1.00	0.50
caucasicum, close to elatum, to 6 feet		.20	.35	.70	2.50
nudicaule, Red Larkspur, parent species of the new pink			0.2		
flowered Hybrids		.20	.35	.65	2.00
nudicaule, chamois	.20	.30	.55	1.00	
nudicaule, Lemon Queen	.25	.40	.75		
sulphureum (Zalil) yellow Larkspur	.30	.60	1.10	2.00	
DICENTRA eximia		.15	.25	.40	1.25
formosa, of better habit and with larger flowers than eximia		.25			
			20	FO	1 50
DICTAMNUS fraxinella, red			.30	.50	1.50
white			.30	.50	1.50
EREMURUS Desert-Candle, seed collected from garden					
varieties	.20	.30	.50	.90	2.75
EREMURUS, Separate species.					
All are25 seeds, .25; 100 seeds, .70; 1000 seeds, 2.00					
Prices for larger quantities gladly given upon request.					
altaicus					
bungei, yellow				.95	3.00
bungei perfectus, orange					
bungei sulphureus, sulphur yellow					
elwesianus, pink					
himaloicus					
robustus, pink				1.30	4.50
robustus superbus, rose					
tauricus					
EDICEDON Anna Banda Cara and Judia da					
ERIGERON, Azure Beauty, fine new double strain, very		20	4 40	0.0	0.50
floriferous, 2½ feet	.15	.30	.45	.80	2.50
GYPSOPHILA oldhami			.15	.45	1.50
HELIANTHEMUM mutabile			.15	.25	.75
HELLEBORUS niger, Christmas Rose	.15		.20	.35	1.25
hybrids (niger x orientalis) in various colors	.25		.20	.00	1.20
various colors	.23				

	Trade				
	pkt. pkt.	1/6 oz.	1/8 oz.	1/4 oz.	oz.
HERACLEUM Mantegazzianum, imposing plant, fine for					
bold displays		.20		.25	.75
HEUCHERA, Coral Bells					
Rosamundi, fine rose, sturdy variety, the best in our	00	25	1.05		
opinion	.20 .15		1.25	1.75	
Hybrids, mixed	.15		.70	1.20	
LILIUM auratum		.15	.25	.40	1.20
auratum platyphyllum		.20	.30	.45	1.35
Backhouse Hybrids	.45 .20				
canadense	.15		20	۲0	1 50
candidumcandidum salonicum	.45 .20	.20 1.00	.30	.50	1.50
centifolium	.45 .20				
dalmaticum Hybrids, to 6 feet, rose and purple shades.	.25	.50			
henryi	.50 .30	.15	.25	.75	
longiflorum praecox, White Queen	.30 .30	.15	.25	.75	2.15
martagon album	.25	.45	.85	• • •	
monadelphum szovitzianum, beautiful yellow Turk's	25				
Cap Lily philippinense formosanum	.35	.15	.25	.40	1.00
white flowered		.20	.35	.65	2.00
philippinense formesanum, early variety	.35				
pomponium	.25				
regaleregale Hybrids:				.15	.40
Pride of Charlotte (regale x Sargentiae)	.35			•	
Princeps (regale x Sargentiae)	.30 .20	.55	1.00		
Shelburne Hybrids (regale x Sargentiae)	.20	.35	.70	1.25	
Sulphur-Gale (sulphureum x regale)	.20	.35	.70 .15	1.25 .25	.75
tenuifolium			.15	.25	.75
tenuifolium, Golden Gleam	.20	.35	.65		
Willmottiae	.20	.35	.75		
LOBELIA cardinalis, seed requires exposure to temperatures near freezing		20	.40	75	2.25
LUPINUS polyphyllus		.20	.40	./5	2.23
Blue King, very long and elegant spikes of intense blue.	.15		.20	.35	1.00
Brightest and Best, bright red on long spikes	•=•		.20	.35	1.00
Chocolate Soldier	.15	.20	.40	.70	2.00
Cross Roads, shell pink		.15 .15	.20	.35 .35	1.00
Kingdom, buff with yellow and distinct orange flag		.15	.25	.35	1.00
Moerheimi, rose and white, compact habit		.15	.25	.35	1.09
Perfection, broad flowers, white, in full bloom faintly, rose-tinged		15	95	40	1 00
Tangerine, golden yellow with orange terra cotta		.15 .15	.25 .25	.40	1.20 1.00
LUPINUS polyphyllus, color varieties:		,,,			1.00
Deep blue				.15	.25
Bright pink				.25	.80
Select rose Pure white			.15	.20 .15	.60 .25
Yellow, in various shades			.15	.15	.80
Autumn tints, buff and orange shades			.15	.25	.80
New England seed, blend of blue, white and rose shades.			.15	.20	.50
Russel Strain, the newest development in Lupinus Hybrids, compact spikes with broad built flowers in a great					
variety of colors		.25	.35	.85	2.50
40					

	Trade pkt.	pkt.	1/6 oz.	⅓ oz.	1/4 oz.	oz.
MYOSOTIS palustris semperflorens, Perennial Ever- Blooming Forgetmenot			.15	.25	.45	1.50
PAEONIA albiflora, Chinese Peony				.15	.25	.65
10 seeds, .40; 100 seeds, 3.5 obovata, Japanese Single-flowered Peony, pink				.15	.35	1.00
White				.15	.35	1.00
Mixed				.15	.30	.85 1.00
officinalis, Common Peonytenuifolia, Fringed Peony				.15	.35	1.00
veitchi, carmine10 seeds, .25; 100 seeds, 2.0						
Wittmanniana, light shade of sulphur yellow 10 seeds, .45; 100 seeds, 4.0	0					
Woodwardiana, delicate shade of rose						
10 seeds, .35; 100 seeds, 3.0	0					
PAPAVER amurense Amur Poppy, new longest stemmed (to 3 feet), and largest flowered yellow Iceland Poppy						
free blooming		0.5	.25	.45	.70	2.10
bracteatum, the true Great Scarlet oriental Poppy burseri, a white alpinum variety		.25 .75				
nudicaule Iceland Poppy:						
Apricot			.20	.35	.60	1.85
El Monte, deep tangerine orange			.15	.25	.40	1.50
Gratref Strain, Art Shades and Picoted edges.			.15	.30	.50	1.75
Red Cardinal, first real red Iceland Poppy			-		0.5	0.50
brilliant cardinal red			.20	.45	.85	2.50
Sanford's Giant Mixed, special strain	•		.15	.30	.50	1.75
Sunbeam Mixture, fine mixture Fine mixed			.15	.20	.35	1.25
PHACELIA sericea	25					
PHORMIUM tenax		.15		.25		
PHYSALIS franchetti, Lantern Plantper lb., 4.50)				.15	.45
PLATYCODON grandiflorum, blue				.15	.20	.55
White mariesi, dwarf blue			.15	.15	.20	.55 1.50
praecox grandiflora gigantea, early giant flowered			.13	. 4.0	.50	1.50
strain, blue		•	.20	.35	.60	2.00
POLEMONIUM coeruleum, large flowered, blue				.10	.15	.50
Whitepulcherrimum, fine hardy native, from Northern Rockies					.15	.50
one foot high with blue flowers		.20	.60			
reptans			.20	.35	.60	
Richardsoni, blue				.10	.20	.60
POTENTILLA nepalensis, mixed colors				.30	.50 .25	1.50
Roxana, coral red			.25	.35	.55	1.75
recta, hardy and drought resistant, of bushy habit smothered with yellow flowers			00	25	20	
warrensi			.20	.35	.60 .75	2.50
PRIMULA acaulis (vulgaris) English Primrose, yellow			.25	.40	.75	2.50
White	35		.65	1.20	2.00	-
Large Flowered, mixed	35	.25	.65	1.20	2.00	
Pure Yellow	.75	.30				
auricula, choice mixed		.20	.35	.65	1.20	

	Trade					
PRIMULA (continued)		pkt.	16 oz.	1/8 oz.	1/4 oz.	oz.
denticulata, early flowering, very choice with globular	r					
heads of a pleasant blue shade			1.00	1.80	3.00	
White			1.00	1.80	3.00	3.00
japonica type (violett)			.25	.50	.90	2.75
Deep Crimson	-		.25	.50	.90	2.75
officinalis (Cowslip) yellow			.25	.35	.60	1.80
Red			.25	.35	.60	1.80
pulverulenta, carmine purple flowers on tall stems			.45	.80	1.50	
veris elatior, the wild Polyanthus, sulphur yellow, very			25	45	05	2 50
charming			.25	.45	.85	2.50
veris elatior, cultivated varieties: Blue	50	.30				
Golden Yellow		.50	.25	.45	.85	2.50
Gold Laced			.25	.45	.85	2.50
Primrose			.25	.45	.85	2.50
Pure White			.25	.45	.85	2.50
Red Shades		-	.30	.50	.90	2.75
Dark Blood Red		.30	1.00	1.80	.85	2.50
Giant Mumstead, light shade			.20	.30	.50	1.50
Primula acaulis, denticulata, officinalis and veri			.20	.50	.50	1.50
clatior varieties are perfectly hardy here without pro						
tection as long as they are planted in an Eastern and						
Northern exposure and guarded against severe drought	t.					
PYRETHRUM roseum, Painted Lady, choice mixed			.20	.30	.50	1.50
ROMNEYA coulteri, Matilija Poppy, striking plant with	1					
glaucous foliage and large white Poppy flowers		.25			.65	2.00
SCABIOSA caucasica, blue			.15	.30	.50	1.50
White			.15	.30	.50	1.50
Goldingensis, fine light blue			.25	.45		
Isaac House strain			.25	.35	.80	2.50
fischeri			.45	.45	.80	2.50
THERMOPSIS caroliniana				1	.15	.45
THALICTRUM dipterocarpum			.15	.25	.40	1.25
White	•		.15	.25	.45	1.50
TROLLIUS, Earliest of All		.20	.35	.65	1.20	3.50
europaeus		.15	.30	.45	.80	2.50
caucasicus, Orange Globe		.20	.35	.65	1.20	4.00
Giant Devonshire, exquisite novelty, orange blooms to 3 inches across on tall stems	50	.35	2.00			
Fire Globe, dark orange		.00	.35	.65	1.20	4.00
Ledebouri, Golden Queen	-	.20	.45	.80	1.50	5.00
Mixed varieties		.15	.20	.35	.60	2.00
VIOLA Apricot		.20	.30	.55	1.00	3.00
Arkwright Ruby, choice shades of Mahogany and Terra-	-					
Place Paris		.20	.35	.75	1.40	4.25
Blue Perfection		00	.15	.25	.45	1.50
Chantreyland	11-2	.20	.35	.65	1.25	4.75 2.00
Lord Nelson, ever-blooming, dark purple		.15	.25	.40	.75	2.50
Primrose Dame		.15	.20	.35	.60	2.00
White Perfection			.15	.25	.45	1.50
Yellow Perfection			.15	.25	.45	1.50
VIOLA priceana, our finest white-flowered native Violet, a	L					
profusion of large flowers on long stems		.15	.40		1.25	

BOOKS

THE GARDENER'S OMNIBUS. Edited by E. I. FARRINGTON. Published under auspices of the Massachusetts Horticultural Society. 39 Books—a complete garden library in one volume—make up the most usable garden book ever published. 600 contributors—600 illustrations—Almost 1000 pages (the equivalent of 3000 or 4000 in an average size book). Over 7000 references in the index. A book by gardeners for gardeners. Quarto (8¾" x 10¾") \$3.75
THE MODERN NURSERY. By Alex Laurie and L. C. Chadwick. 224 pages, 49 illustrations, 21 tables. A reference book for nursery-men describing general nursery management and cultural practices, the different methods of propagation of woody plants and herbaceous perennials. The intricate subject of after-ripening of seed is fully covered. No nurseryman should be without the book
RHODODENDRON and AZALEAS. By Clement G. Bowers. The best book available describing, on 526 pages, 900 species and 2000 varieties, propagation, hybridizing, planting. 28 color plates and 50 plates in black and white, picturing 150 detailed subjects, at \$10.00
BIRDS IN THE GARDEN and HOW TO ATTRACT THEM. By Margaret McKenny. 350 pages of Bird Lore, 16 color plates, 32 pages of photographs. Complete guide to Bird Habits and Care. A fascinating new book \$5.00
CULTIVATED CONIFERS in NORTH AMERICA.
By Dr. L. H. Bailey. 404 pages, 48 full page photos, 114 line drawings. Approximately 1,000 conifers (species and varieties together) propagation, care, diseases, protection
SEEDING and PLANTING IN THE PRACTICE OF FORESTRY.
By I. W. Toumey and C. F. Korstian. 507 pages, 2nd edition. The best Book on the subject
HEDGES, SCREENS and WINDBREAKS, USES, SELECTION AND CARE. By Donald Wyman. 249 pages. Illustrated with many diagrams and half tones \$2.75

Book prices are postpaid in U. S. A. Terms net cash with order SEND ORDERS TO

F. W. SCHUMACHER

579 Centre Street

Jamaica Plain, Boston, Mass.

P. O. Box 131

Telephone ENDicott 1850

Cable Address, Treeseeds, Boston

